

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Wyandotte

Location listed as:

Location changed to:

Section-Township-Range: 29-105-25E

29-105-25E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): NE NE SE

SW SW SE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Latitude & longitude, KGS' "LEO" conversion tool, and mapping tool & aerial photo on KGS website.

initials: ORA date: 12/24/2008

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

Drilling Log

Project Name <i>NPC QUENDARO</i>		Project Number <i>50252</i>		Boring Number <i>M.W-18</i>	
Ground Elevation		Location <i>39.1501°N, 94.0335°W</i> <i>RAK - KANSAS CITY, KS</i>		Page <i>1</i>	
Air Monitoring Equipment <i>PID</i>				Total Footage <i>45.5'</i>	
Drilling Type <i>DRIFT PILE HSA</i>	Hole Size <i>4"</i> <i>4 1/4"</i>	Overburden Footage <i>45.5'</i>	Bedrock Footage <i>—</i>	No. of Samples <i>—</i>	No. of Core Boxes <i>—</i>
Drilling Company <i>KAZEK</i>			Driller(s) <i>T. POWELL S. FARRIS</i>		
Drilling Rig <i>TRACK MOUNTED LEOPARD</i>			Type of Sampler <i>ACETATE SLEEVES CUTTINGS</i>		
Date <i>9-9-08</i>		To <i>9-9-08</i>		Field Observer(s) <i>D. DAVIS</i>	

Depth (feet)	Description	Class	Blow Count	Recov.	Run/Time	Sample Desig.	PID (ppm)			Remarks/ Water Levels
							BZ	BH	S	
1	<i>CLAY, SOMEWHAT YELLOWISH BROWN (BY 411), VERY STEEP MEDIUM PLASTICITY, DAMP</i>	<i>C1 PSU</i>			<i>3.1 /5</i>	<i>REC START</i>	<i>DRIFT PILE</i>			<i>1305 START DRILLING w/ 4 1/4" HSA</i>
2										
3										
4										
5					<i>2.5</i>					
6										
7										
8					<i>4.3 /5</i>					
9										
10						<i>2.5</i>				
11	<i>CONCRETE</i>									<i>0.2 PD</i>
12	<i>CLAY, SOMEWHAT, THICK SAND, DARK GRAY (BY 411), VERY STEEP TO HARD, MEDIUM TO HEAVY PLASTICITY, DAMP</i>	<i>C4 PSL</i>			<i>3.9 /5</i>					<i>0.2</i>
13	<i>CLAY, SOMEWHAT, THICK SAND, DARK GRAY (BY 411), VERY STEEP TO HARD, MEDIUM TO HEAVY PLASTICITY, DAMP</i>	<i>C1</i>								<i>0.5</i>
14	<i>CLAY, SOMEWHAT, THICK SAND, DARK GRAY (BY 411), VERY STEEP TO HARD, MEDIUM TO HEAVY PLASTICITY, DAMP</i>									<i>1.6</i>

BZ=Breathing Zone BH=Bore Hole S=Sample



Drilling Log Continuation

						Boring Number <i>MW-15</i>				
Project Name <i>MPC QUENDANO</i>						Page <i>2</i>				
Project Number <i>50252</i>						Date <i>9-9-68</i>				
Depth (feet)	Description	Class	Blow Count	Recov.	Run/Time	Sample Desig.	PID (ppm)			Remarks/ Water Levels
							BZ	BH	S	
17	CLAY, REDDISH GRAY (5/412), MOTTLED W/ GRAY (10/4511), VERY STEFF TO HARD HIGH PLASTICITY, DAMP	CH							4.2	
15	CLAY, SOME SILT, DARK GRAY (2/5/411) VERY STEFF, MEDIUM PLASTICITY, DAMP	CL							3.7	HEAVY GND HS SPEC
17	CLAY, TRACE SILT, DARK GRAY (5/411) VERY STEFF TO HARD, MEDIUM TO HIGH PLASTICITY, DAMP	CH		3.6 / 5					1.9	
18									1.1	
19									4.2	
20					1235				3.6	
21									1.9	
22	TRACE TO SOME SILT			3.6 / 5					1.6	
23									2.1	
24									13.2	
25					1240				9.6	
26	SAND, VERY FINE TO FINE GRAINED, SOME SILT, TRACE CLAY DARK GRAY (5/411), WELL GRADED DAMP	SM							24.1	
27									20.6	
28										
29	SAND, VERY FINE TO FINE GRAINED, GRAY (5/411), POORLY GRADED, DAMP	SP								
30					1245					
31										
32										

BZ=Breathing Zone BH=Bore Hole S=Sample



051601 Form WCD-KC-2-2

Drilling Log Continuation

						Boring Number <i>MW-13</i>				
Project Name <i>MPC QUENDALE</i>						Page <i>3</i>				
Project Number <i>50252</i>						Date <i>7-9-08</i>				
Depth (feet)	Description	Class	Blow Count	Recov.	Run/Time	Sample Desig.	PID (ppm)			Remarks/ Water Levels
							BZ	BH	S	
33	<i>SAND, VERY FINE TO FINE GRAINED, GRAY (BY 41), LOCALY GRADED, DAMP</i>	<i>SP</i>			<i>21 /5</i>				<i>38.8</i>	
34										
35					<i>1250</i>				<i>33.1</i>	
36	<i>WET</i>								<i>23.6</i>	
37										
38					<i>216 /5</i>				<i>0.8</i>	
39									<i>0.8</i>	
40					<i>1257 1553</i>	<i>STOP DIRECT PUSH 3/4" HSA</i>				
41					<i>cuttings</i>					
42										
43										
44										
45					<i>1600</i>			<i>0</i>		
46						<i>TD=45.5' bgs</i>				

BZ=Breathing Zone BH=Bore Hole S=Sample



051601 Form WCD-KC-2-2

Drilling Log Continuation

						Boring Number <i>MW-18</i>				
Project Name <i>MPC QUENDARO</i>						Page <i>4</i>				
Project Number <i>50252</i>						Date <i>9-9-08</i>				
Depth (feet)	Description	Class	Blow Count	Recov.	Run/Time	Sample Desig.	PID (ppm)			Remarks/ Water Levels
							BZ	BH	S	
<p><i>MW-18</i> <i>NOT TO SCALE</i></p>										

BZ=Breathing Zone BH=Bore Hole S=Sample

