## CORRECTION(S) TO WATER WELL RECORD (WWC-5) (to rectify lacking or incorrect information) County: 11) vandotte

Location listed as:	Location changed to:					
Section-Township-Range: 27-405-25E	27-105-25E					
Fraction ( 1/4 1/4 1/4): 5W SW	SW SW					
Other changes: Initial statements:						
	••;					
Changed to:						
Comments:						
verification method: Wellsite address, city street map, legal  description, position on plat map; other monitoring wells at same  location for same owner, mapping tool on KGS website  submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.						

	WATER WELL F	RECORD Form WWC	-5 KSA 822-1	KSA 82a-1212 ID No. A5- 220				
1 LOCATION OF WATER WE County: Wyandotte	LL: Fraction	. \		ion Number	Township Number			
Distance and direction from nea								
RR#, St. Address, Box # : U	krome Cibril Linion Carbin 10 Box 834	2 3300/ 19 Carp South	3300 Kana Charleston,	wha Turn WV 85303	Board of Agricultur Application Number	re, Division of Water Resources er:		
3 LOCATE WELL'S LOCATION AN "X" IN SECTION BOX: NNWNE- WSWSE-	Depth(s) G WELL'S ST  Est. Yield WELL WAT 1 Dome 2 Irrigat	Pump test data: Well was generally well well well was generally well well well well well well well w	1ft. belo ater was 5 Public water s 6 Oil field water 7 Domestic (law	w land surfaceft. afft. af upply supply n & garden) 1	measured on mo/day/yi terhou terhou 8 Air conditioning 9 Dewatering 0 Monitoring well	es, mo/day/yrs sample was sub-		
(2)PVC 4 A	RMP (SR) BS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass		specify below)	······	Glued Clamped		
Blank casing diameter								
1 01001	DRATION MATERIA Stainless Steel	L: 5 Fiberglass	<b>7</b> PV0	C P (SR)	10 Asbestos- 11 Other (Spe	ecify)		
2 Brass 4 G SCREEN OR PERFORATION C	alvanized Steel	6 Concrete tile	9 Abs uazed wrapped	•	12 None used 8 Saw cut	11 None (open hole)		
1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	6 W 7 To	ire wrapped orch cut		9 Drilled holes 10 Other (specify)	ft.		
SCREEN-PERFORATED INTER	RVALS: From	<b>§O</b> ft. to .	79	ft., From		ft. toft.		
GRAVEL PACK INTE	From RVALS: From From	ft. to	77	ft., From . ft., From . ft., From .	17	ft. to		
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	(3)Bento					
	-	_	ft. to			ft. toft.		
What is the nearest source of p	ossible contamination 4 Lateral lines	on: 7 Pit pri	207	10 Livesto 11 Fuel st		14 Abandoned water well 15 Oil well/Gas well		
	5 Cess pool		ge lagoon	12 Fertilize		16 Other (specify below)		
3 Watertight sewer lines Direction from well?		9 Feedy			cide storage			
FROM TO	LITHOLO	OGIC LOG	FROM	TO		G INTERVALS		
10 80 Gre		gravel + sand of SAUD						
		(2.00.57 - 1)						
completed on (mo/day/year) Water Well Contractor's Licence under the business name of	11/13/2008 Boart L	B. This Wa	iter Well Record v	and this rec was completed by (s	ord is true to the best of r on (mo/day/yr) ignature)	d under my jurisdiction and was my knowledge and belief. Kansas		
INSTRUCTIONS: Use typewriter or ba and Environment, Bureau of Water, Ge records. Fee of \$5.00 for each constru	eology Section, 1000 SW .					copies to Kansas Department of Health OWNER and retain one for your		