

CORRECTION(S) TO WATER WELL RECORD (WWC-5)
(to rectify lacking or incorrect information)

County: Wyandotte

Location listed as:

Location changed to:

Section-Township-Range: 27-40S-25E

27-10S-25E

Fraction (1/4 1/4 1/4): SW SW

SW SW

Other changes: Initial statements: _____

Changed to: _____

Comments: Values given for latitude & longitude are believed to be state plane coordinates.

verification method: Well site address, city street map, legal description, position on plat map, other monitoring wells at same location for same owner, mapping tool on KGS website. initials: AKL date: 6/10/2009

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

MW-108

1 LOCATION OF WATER WELL: County: Wyandotte Fraction SW 1/4 SW 1/4 Section Number 27 Township Number T 40 S Range Number R 25 E/W

Distance and direction from nearest town or city street address of well if located within city? 3150 Dodge Road Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 313467.91 Longitude: 2270933.00 Elevation: 744.80 Datum: Data Collection Method: GPS

2 WATER WELL OWNER: Jerome Cibrik 30093300 Karawha Turnpike Union Carbide Corp PO Box 8201 S. Charleston WV 25303

3 LOCATE WELL'S LOCATION WITH AN 'X' IN SECTION BOX: [Diagram showing section box with 'X' in SW quadrant] 4 DEPTH OF COMPLETED WELL: 30 ft. Depth(s) Groundwater Encountered... WELL'S STATIC WATER LEVEL... Pump test data... Est. Yield... WELL WATER TO BE USED AS: 10 Monitoring well 12 Other (Specify below) Vapor

5 TYPE OF CASING USED: 2 PVC 4 ABS 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued, Clamped, Welded, Threaded, Flush. Blank casing diameter... Casing height above land surface... TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 9 ABS 11 Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: 3 Mill slot 7 Torch cut 9 Drilled holes 11 None (open hole) SCREEN-PERFORATED INTERVALS: From 30 ft. to 10 ft. GRAVEL PACK INTERVALS: From 30 ft. to 9 ft. From 9 ft. to 8 ft.

6 GROUT MATERIAL: 3 Bentonite 4 Other Concrete Grout Intervals: From 8 ft. to 2 ft. From 2 ft. to 0 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well

Table with columns FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Row 1: 0 to 8 Black Brown CLAY w/ gravel. Row 2: 8 to 30 Brown SAND.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11/15/2008 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 658 This Water Well Record was completed on (mo/day/year) 12/10/2008 under the business name of Boart Longyear Company by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.