WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL:	Fraction	Section Number Township No. Range Number
County: Wyandotte	SW 1/4 SW 1/4 SW 1/4 1/4	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here		
from nearest town or intersection: If at owner's address, check here		Longitude: 94.6209 (in decimal degrees)
3126 Brinkerhoff Road Kansas City, KS 66115		Elevation:
A VILLEY WELL ON DUE		— Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: Dow Chemical Corporation RR#, Street Address, Box #: P.O. Box 8361 Kanawha Tumpike		Collection Method: GPS unit (Make/Model: Garmin GPS 12)
C's Costs ZID Costs	Box 8361 Kanawha Tumpike	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
South	Charleston, WV 25303	Est. Accuracy:
3 LOCATE WELL		
SECTION BOX: Depth(s) Grou	Depth(s) Groundwater Encountered (1)	
Pur	Pump test data: Well water wasft. after hours pumping gpm	
EST. YIELDgpm. Well water wasft. after hours pumping gpm		
W Bore Hole Diameter 3.25" in. to .28.0' ft., and in. to		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
SW SE   Domestic		
Was a chemical/bacteriological sample submitted to Department? Yes No		
S If yes, mo/day/yr sample was submitted		
Water well disinfected? ☐ Yes ☑ No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter		
Casing height above land surface. Z. in., Weightlbs./ft., Wall thickness or gauge NoSSN.49		
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
From ft. to ft. From ft. to ft. lt.		
GRAVEL PACK INTERVALS: From 26.0' ft. to 28.0' ft. From ft. to ft. to ft. to		
From . 24.0' ft. to . 26.0' ft., From ft. to ft.		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
What is the nearest source of possible co		IL toIL, FromIL toIL
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)		
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedward ☐ Fertilizer storage ☐ Oil well/gas well ☐ Old Air Sparge Point		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Oil Air Sparge Point ☐ Direction from well ☐ Distance from wel		
	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 23.0' Clay/Silt	7010 200	23,710, 200 (00,10)
23.0' 28.0' Sand		
28.0' Bottom of Well		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗸 constructed, 🗆 reconstructed, or 🗀 plugged		
under my jurisdiction and was completed on (mo/day/year) .6/11/09		
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) 8-3-09 by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Dink Copy		

AS-116