WATER WELL RE	CORD	Form W	WC-5	Γ	Division of Wate	r Resources App. N	Io. 170-112	
County: Wyandotte	OCATION OF WATER WELL:		. , -	Sect	tion Number 27	Township No. T 10 S	Range Number R 25	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here \square .					Latitude: .39.1452 (in decimal degrees)			
3126 Brinkerhoff Road Kansas City, KS 66115				Lon	Longitude: 94.6210 (in decimal degrees)			
	•			Elev	ation:		 1 NAD 27	
2 WATER WELL OWNER: Dow Chemical Corporation					<u>ım</u> : ∐ WGS 8- ection Method:	4, □ NAD 83, □	J NAD 2/	
RR#, Street Address, Box #: P.O. Box 8361 Kanawha Tumpike					☐ GPS unit (Make/Model: Garmin GPS 12			
City, State, ZIP Code	Charleston, WV 2530			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	T] 5-15 m, □>15 m	
3 LOCATE WELL WITH AN "X" IN	4 DEPTH OF	COMDI ETEN WEI	T V 45 N	1	Δ			
N N								
Pump test data: Well water wasft. after								
EST. YIELDgpm. Well water wasft. after								
W E Bore Hole Diameter .3.25" in. to .45.0' ft., and in. to								
WELL WATER TO BE USED AS:								
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Air Sparae Well Was a chemical/bacteriological sample submitted to Department? ☐ Ves. ☑ No.								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to .44.0' ft., Diameter								
Casing height above land surface2'								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From. 43.0' ft. to .45.0' ft., From ft. to ft. From. 41.0' ft. to .43.0' ft., From ft. to ft.								
From. 4!.V ft. to								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines								
			Fertilizer		Oil well/gas		• • • • • • • • • • • • • • • • • • • •	
Direction from well	LITHOLOG		FROM	TO TO		G (cont.) or PLU	GGING INTERVALS	
0 17.0' Clay/S		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	I KOW	10	LITIO. LC	O (COME.) OI FLU	COMO MIERVALS	
17.0' 45.0' Sand					 			
	of Well							
					ļ			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This waste well we 7								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, 🗌 reconstructed, or 🔲 plugged under my jurisdiction and was completed on (mo/day/year) .6/12/09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) .8:3-99								
under the business name of .PSA.Environmental by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterw		EK WELL OWNER and I	etain one for	your reco	ras. Include tee	or \$5.00 for each co	onstructed well. Visit us at	
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy								
					·····	55p,, Die		