1 LOCATION OF WATER			Section Number	Township Number	Range Number	
County: WYANDOT1		NE 14 NE 14	34	T /O S	R 25 6W	
Distance and direction from				LAT: 39° 8'		
2 WATER WELL OWNER	SONOVAN KD.	KANSAS GIT DSTREAM PAR	V, 15 00115) LONG: 94° 3	2 12.77" "T	
2) WAILH WELL OWNER	MINGELLAN ME	CENTER, MD	INERS, L.P.	Decord of Academida a	Shiring of Mateu Despuy	
City, State, ZIP Code :	THESE OK 7	14121 (918-	574-7467)	Application Number:	Division of Water Resources	
3 LOCATE WELL'S LOCAT	ION WITH 4 DEPTH OF (COMPLETED WELL	\$ ft. ELEVA	TION:		
AN "X" IN SECTION BOX	200011(0) 011001			. 2 ft. 3		
1 14				e measured on mo/day/yr after hours p		
1				after hours p		
NW N	WELL WATER	TO BE USED AS: 5 Pul	blic water supply	8 Air conditioning 11 Ir	jection well	
	1 Domestic		field water supply	9 Dewatering 62 C	other (Specify below)	
W	E 2 Irrigation	•	mesac (lawii a galueli) (KC TERMINAL	
sws		W-206	itta-al ta Dana-tura-at0 \	_	_	
SW S	was a chemica	al/bacteriological sample suc		res No; If yes, mater Well Disinfected? Yes	No No	
			***	2.07 11011 2101111001307 130		
S 5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS; Glued						
	NG USED: 3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement	8 Concrete tile 9 Other (specify below)		ed	
2 PVC	4 ABS	7 Fiberglass		Thre:	aded	
				ft., Dia		
Casing height above land su	ırface	in., weight		lbs./ft. Wall thickness or guag	e No. SCH. # 40	
TYPE OF SCREEN OR PER			7 PVC) -6"	10 Asbestos-Cem		
1 01001	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	8 RMP (SR) 9 ABS	11 Other (Specify) 12 None used (op	en hole)	
L Diaco					·	
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole) 1 Continuous siot 3 Mill slot 6 Wire wrapped 9 Drilled holes						
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From 38 ft. to 18 ft., From ft. to						
FILTER SAM	From	ft. to	ft., From .	ft. to	ft.	
GRAVEL PACK IN	TERVALS: From3	& ft. to	. ft., From .	ft. to	ft.	
	From	ft. to	ft., From .	ft. to	tt.	
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite 4	Other		
Grout Intervals: From	.1 ft. to 16		ft. to	ft., From	ft. toft.	
What is the nearest source of	of possible contamination:		10 Livesto	ock pens 14 Al	pandoned water well	
1 Septic tank 4 Lateral lines		7 Pit privy		uel storage/PIPELINE 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool		8 Sewage lago	oon 12 Fertiliz	12 Fertilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage plt				ticide storage		
Direction from well?	SITE)			feet? (ON SITE)		
FROM TO	LITHOLOGIC		FROM TO	PLUGGING INT	TERVALS	
0 38' DA	IRK GRAY FIN					
	WITH SOME					
	+ PETROL O	DOR.				
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was						
completed on (mo/day/year)	7-1-6-07		and this reco	ord is true to the best of my kno	wledge and belief. Kansas	
Water Well Contractor's Licen	ce No 788	This Water Well	Record was completed	مر (mo/day/yr) on (mo/day/yr)	09	
under the business name of	ROBERIS ENV.	DRSUMG, 2	710.	gnature) (Jurille)	det	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health						
and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367, Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your						