WAIEH WEL	L RECORD Form WWC-5 KS	A 82a-1212 ID NO	•			
1 LOCATION OF WATER WELL: Fraction	1 •	Section Number	Township Number	Range Number		
County: WYANDOTTE NW		35	T /O S	R Q5 (1)		
Distance and direction from nearest town or city s			> LAT: 39° 8'		K.	
40) E. DONOVAN A	CD. KANSAS CITY		) LONG: 94°3	6' 7.08" EAR	(HI	
2 WATER WELL OWNER: MAGELLAN	MÍDSTREAM PARTNE	ERS, L.P.	•			
RR#, St. Address, Box # : ONE WILLT	AMS CENTER, MD 27	6	Board of Agriculture, [	Division of Water Resour	ces	
City, State, ZIP Code : Thusa . OK		74-7467)	Application Number:			
3 LOCATE WELL'S LOCATION WITH 4 DEPTH	OF COMPLETED WELL36	ft. ELEVAT	ION:			
AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1						
WELL'S'S	STATIC WATER LEVEL					
I I Est Viold	Pump test data: Well water was					
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11_Injection well					
1 Don	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering (2 Other (Specify below)					
W E 2 Irrig						
#RW-228 @MAGELLAN KC TERMINAL						
SW SE   Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was sub-						
l l mitted		Wat	er Well Disinfected? Yes	(No)	ĺ	
5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 C	Concrete tile	CASING JOINTS; Glue	d Clamped		
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 0	Other (specify below)		ed		
2 PVC 4 ABS				aded)		
Blank casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIA		7 PVC - 6"	10 Asbestos-Cem			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel		8 RMP (SR) 9 ABS	11 Other (Specify)	) en hole)		
2 51405				•		
SCREEN OR PERFORATION OPENINGS ARE:	5 Guazed wrap 6 Wire wrappe	•	8 Saw cut 9 Drilled holes	11 None (open hole)		
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled notes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					.ft.	
, , , , , , , , , , , , , , , , , , , ,	36 ft. to 16		* * * * * * * * * * * * * * * * * * * *			
SCREEN-PERFORATED INTERVALS: From FIGER SAND From	ft to	ft., From	ft to		ff.	
GRAVEL PACK INTERVALS: From	36 ft. to 14	ft., From	ft. to		ft.	
	ft. to					
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout 3	Bentonite 4	Other	# 1-		
Grout Intervals: From	14tt., From	10	π., From	II. 10	π.	
What is the nearest source of possible contaminati		10 Livestoo				
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool	7 Pit privy 8 Sewage lagoon		storage/PTPEGIVE 15 Oil well/Gas well lizer storage 16 Other (specify below)			
2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	9 Feedyard		cide storage			
	9 Feedyald		feet? (ON SETE)	······································	****	
FROM TO LITHOLO	OGIC LOG FRO		PLUGGING IN	CEDVAL &	$\dashv$	
		M 10	PLUGGING IN	ENVALO	$\dashv$	
O 36' DARK GRAY F	INE SAND				$\dashv$	
WITH SOME	3747,				$\dashv$	
+ PETROL	O DOR				$\dashv$	
					-	
			and the same of th		$\dashv$	
					$\dashv$	
					-	
					$\dashv$	
					$\dashv$	
					-	
					$\dashv$	
7					-	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)						
Water Well Contractor's Licence No						
				. Oda-t		
Inder the business name of ROBERS ENV. DRSUMG, SMC. by (signature)  [INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRE</u> and Environment, Bureau of Water, Geology Section, 1000 SW J						
reports. Fee of \$5.00 for each constructed well	•					