WATER WELL BECORD	F	WWG 5 Pl	WIT			
WATER WELL RECORD 1 LOCATION OF WATER WELL:	Fraction	WWC-5	Section Nu		r Resources; App. No. L Township Number	Danca Number
County: Wyard 10ttl	NW1/4 N	1514 SM14	Section Nu	ımber	T 10 S	Range Number
Distance and direction from nearest town or located within city?	city street add	ress of well/if		itioning	Systems (decimal deg	
located within city? Found Exxon-	4polle 1	ermusal	Latitude:	39	09 06.5	
gellan Pipeline Co; 1100 Sun	shine ka	L, K.C.KS.	Longitude	e: 094	1 38 06.9	
RR#, St. Address, Box # : 1100 - 110	or Pipel	ine of	Elevation	:		
RR#, St. Address, Box # : 1100 - 1100 City, State, ZIP Code : 2005	o siinst	ninera	Datum:		WGS 84	
ruisa	es lity,	Ks.	Data Coll	ection N	Method: GPS (larmin ETrax Les
	IPLETED'W	ÆLL . Æ . 🕏	28	ft.		V
LOCATION	Ft	. m:31	Α (·2)	Φ (2)	0
WITH AN "X" IN SECTION BOX: Depth(s) Groundwate WELL'S STATIC W	ATED I EVE		····· II. (ft. helow land	2)	II. (3)	/vr 11/3/39 TL
N Pump test day	ta: Well wat	er was	ft after	Surface	hours pumping	onm
Est. Yieldgp	m: Well wat	ter was	ft. after		hours pumping	gpm
WELL WATER TO	BE USED AS	S: 5 Public water	r supply	8 Air c	conditioning 11 Inj	
$_{\rm W}$ $_{\rm E}$ 1 Domestic 3 Fe	edlot 6	Oil field water	supply	9 Dew	atering 12 Ot	her (Specify below)
2 Irrigation 4 In	dustrial 7	Domestic (law)	n & garden)	10 Mon	itoring well	
SW SE			_		🗸	
Was a chemical/bacte	eriological sar	mple submitted t	o Department'	? Yes	;	If yes, mo/day/yrs
Sample was submitte	a	Wa	iter well disin	fected?	Yes No	••••
						
	t Iron s-Cement			CASING	JOINTS: Glued	
1 Steel 3 RMP (SR) 6 Asbesto	s-Cement	9 Other (speci	iy below)		Weided	x
PVC 4 ABS 7 Fiberglas Blank casing diameter 2.375 in. to 3 Casing height above land surface 3	ss ft Dian	 nete r	in to	ft	Diameter	in to ft
Casing height above land surface. 3.	in Weig	ght	lbs./ft. V	Wall thic	kness or guage No	1h4D
TYPE OF SCREEN OR PERFORATION MAT	ERIAL:		,	, 411	micos or gauge rio	-
1 Steel 3 Stainless Steel 5 Fibe	erglass [5	PVC 9	ABS		11 Other (Specify)	
2 Brass 4 Galvanized Steal 6 Con		8 RM (SR) 10) Asbestos-Ce	ement	12 None used (open	hole)
SCREEN OR PERFORATION OPENINGS AR					4437	
1 Continuous slot Mill slot 5	Gauzed wrapp	ped / Torch ci	it 9 Drille	d holes	11 None (open h	ole)
2 Louvered shutter 4 Key punched 6 V SCREEN-PERFORATED INTERVALS: From	w ne wrapped	ft to 13	fo Oulei	(specify From	ft to	ft
From		ft. to	ft., F	From	ft. to	ft.
From GRAVEL PACK INTERVALS: From	&8	ft. to! a	ft., I	From	ft. to	ft.
					ft. to	
COOUT MATERIAL 1 No. 4) C		Chi 10			
6 GROUT MATERIAL: 1 Neat cement 2	Cement grou	Bentonite	4 Other Ca	MENER	()	A 40 A
Grout Intervals: From	ation'	F10III	B . 10	11	., FIOIII	11. 1011.
1 Septic tank 4 Lateral lines	7 Pit privy	10 Live	stock pens			16 Other (specify
2 Sewer lines 5 Cess pool	8 Sewage la				andoned water well	below)
3 Watertight sewer lines 6 Seepage pit			lizer storage	15 Oil	well/gas well	
Direction from well?						
FROM TO LITHOLOGI	C LOG	FRO	M TO		PLUGGING INT	ERVALS
O 1.0 TOPSOUL	.					
1.0 3.0 Bun sitt w/ san						
3.0 5.0 Sizy sito w/ll	ay					
5.0 7.0 Klair llay	and					
1.0 13.0 Gransito	.Sau EL					
3.0 16.0 It Slay pard						
16.0 22.0 Knay Sito			+			
Baid 28.0 Kiels Dard						
Start Start						
7 CONTRACTOR'S OR LANDOWNER'S C	ERTIFICAT	ΓΙΟΝ: This wat	er well was (1	constr	ucted (2) reconstruct	ed, or (3) plugged
under my jurisdiction and was completed on (mo	o/day/year) i.l	1.3.1 <i>0.9</i> ai	nd this record	is true to	o the best of my know	vledge and belief
Kansas Water Well Contractor's License No. 🔝	3.2 Th	nis Water Well R	ecord was con	mpleted	on (mo/day/year)	12/15/07
under the business name of BENUSM	Menta	<u> </u>	by (signature		Lmas Buck	ر ا
INSTRUCTIONS: Use typewriter of ball point pen. PLE three copies to Kansas Department of Health and Environm	ent Bureau of V	RMLY and PRINT cle	early. Please fill	in blanks,	underline or circle the co	orrect answers. Send top
785-296-5522. Send one to WATER WELL OW						
http://www.kdheks.gov/waterwell/index.html.		,				