WATER WELL RECORD MW-24 Form WWC-5	Division of Water Resources App. No.
1 YOCATION OF WATER WELL.	Castian Number Tanashin Na Dance Number
County: Wyandotte Fraction 1/4 NE 1/4 SE 1/4 NE 1/4	29 T 10 S R 25 Z E
Street/Rural Address of Well Location; if unknown, distance & direction	Global Positioning System (GPS) information: Latitude:
from nearest town or intersection: If at owner's address, check here .	Longitude: 94.64046 (in decimal degrees)
Kansas City BPU Quindaro Power Station, 3601 N. 12th St.	Elevation: (in decimal degrees)
Kansas City, KS	Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: Magellan Pipeline Company, L.P	Collection Method:
RR#, Street Address, Box #: P.O. Box 22186 City, State, ZIP Code : Tulsa OK 74121	☐ GPS unit (Make/Model: Garmin 60 ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
City, State, ZIP Code : Tulsa, OK 74121	Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m
3 LOCATE WELL ZQ	
SECTION BOX: Depth(s) Groundwater Encountered (1)	
WEEL SSTATIC WATER ELVEL	
Pump test data: Well water wasft. afterhours pumpinggpm EST. YIELDgpm. Well water wasft. afterhours pumpinggpm	
EST. YIELDgpm. Well water wasft. afterhours pumpinggpm Bore Hole Diameter 8.25	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well	
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)	
Irrigation □ Industrial □ Domestic-lawn & garden ▼ Monitoring well	
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted	
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No	
water wen disinfected: 1 cs 14 140	
5 TYPE OF CASING USED: □ Steel ✓ PVC □ Other CASING JOINTS: □ Glued □ Clamped □ Welded ✓ Threaded	
Casing diameter .2.0 in. to	
Casing height above land surface. Flush in., Weight	
TYPE OF SCREEN OR PERFORATION MATERIAL:	
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)	
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Gauze wrapped Torch cut Drilled holes None (open hole)	
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)	
Louvered shutter Key punched Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From St. to St. ft. ft. ft. ft. ft. ft. ft. ft. ft. f	
From	
GRAVEL PACK INTERVALS: From. 3.8	
From ft. ft., From ft. to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 2.1. ft. to 19. ft., From 1.9. ft. to 2. ft., From ft. to ft.	
What is the nearest source of possible contamination:	it. to it., 110iii it. to
Septic tank Lateral lines Pit privy Livestock	pens ☐ Insecticide storage ☑ Other (specify below)
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage	e Abandoned water well
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer st	orage of weingas wen
Direction from well Distance FROM TO LITHOLOGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
6 9 Silty Clay, Dark Brown	ETTTO. DOG (COILE) OF TECODING INTERVALS
9 38 Sand, Fine to Medium Grain	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This work	er well was 🗸 constructed 🗆 reconstructed or 🗆 nlugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, constructed, or plugged under my jurisdiction and was completed on (mo/day/year)	
Kansas Water Well Contractor's License No. 710 This Water Well R	ecord was completed on (rho/day/vear) 6/9/10
under the business name of Below Ground Surface, Inc.	by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.	
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy	