

1 LOCATION OF WATER WELL: County: Wyandotte, Fraction: NE 1/4 NE 1/4 SW 1/4, Section Number: 34, Township Number: T 10 S, Range Number: R 25 E/W
2 WATER WELL OWNER: Magellan Pipeline Company, LP, RR#, St. Address, Box #: One Williams Center, City, State, ZIP Code: Tulsa, OK 74172, Board of Agriculture, Division of Water Resources Application Number:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: (Diagram showing a section box with 'X' in the SW quadrant)
4 DEPTH OF COMPLETED WELL: 27.32 ft, ELEVATION:
WELL'S STATIC WATER LEVEL:
Pump test data: Well water was NA ft. after hours pumping gpm
Est. Yield NA gpm Well water was ft. after hours pumping gpm
Bore Hole Diameter 9.25 in. to 27.5 ft. and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Observation well
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring
Was a chemical/bacteriological sample submitted to Department? Yes.....No [checked]; If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes No [checked]
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
7 Fiberglass Threaded [checked]
Blank casing diameter 2 in. to 6.63 ft, Dia 2 in. to 27.32 ft, Dia in. to ft.
Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
7 Torch cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 6.63 ft to 26.6 ft, From ft to ft, From ft to ft
GRAVEL PACK INTERVALS: From 4.5 ft to 27.5 ft, From ft to ft, From ft to ft
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 0 ft to 2.5 ft, From 2.5 ft to 4.5 ft, From ft to ft
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
13 Insecticide storage
Direction from well? How many feet?
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 6 Excavation,
6 11 Silt with sand,
11 14 Sand,
14 17.5 Silt and Clay,
17.5 19.5 Sand,
19.5 21 Sand and Silt,
21 27.5 Sand,
DPVE-8, Flushmount
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/5/2010 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on (mo/day/yr) 4/11/2010 under the business name of GeoCore, Inc. by (signature) Dan Hoff

OFFICE USE ONLY

T

R

EW

SEC.

1/2

1/2

1/2