				16				
WATER WELL RECORD		Form W	WC-5	Division of Water	r Resources App. No	0.		
1 LOCATION OF WATER WELL:		Fraction		Section Number		Range Number		
County: Wyandotte Street/Rural Address of Well Location; i		14NW14NE		38	T I S	R S ME W		
			Latitude: 37 0	System (GPS) in	formation: (in decimal degrees) (in decimal degrees)			
from nearest town or intersection: If at owner's address, check her			chere	Longitude Q. 9.4	38 04.7	(in decimal degrees)		
				Elevation:				
2 WATER WELL OWNER: Magellan Flactine Co. RR#, Street Address, Box #: 1100-1120 Sunshine Rd.				Datum: WGS 84	4, 🔲 NAD 83, 🔲	NAD 27		
RR#, Street Address, Box #: 1107 5105			erd.	Collection Method:	re/Model Galmi	<i>.</i> 0		
City, State, ZIP Code	san City, Ks.	6615	Digital Map/Ph	oto, 🔲 Topographi	c Map, Land Survey			
				Est. Accuracy: <	3 m, 🕍 3-5 m, 🗌	5-15 m, □ >15 m		
3 LOCATE WELL WITH AN "X" IN 4 I	COMPLETED WEL	L28	ft.					
SECTION BOX: Dep	water Encountered (1)							
N WE	N WELL'S STATE			lwater Encountered (1)				
ngs		np test data: Well water wasft. after						
NW NE ES.	r. YIELD	gpm. Well wate	r was	tt. atter	hours pum	ping gpm		
3375		neter						
WELL WATER TO BE USED AS. Fubility water supply Geothermal Injection Continue of the c								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
5 TYPE OF CASING USED: Steel Y PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter 2.3.75 in. to 13ft., Diameter								
Casing height above land surface. About Apin, Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ YPVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to 12								
From						to ft.		
From						to ft.		
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Cameria.								
Grout Intervals: From								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well ☐ Distance from well ☐ Distance from well								
FROM TO	LITHOLOG		FROM			JGGING INTERVALS		
0 5 Bunfin			ose.					
	etti sa	nd fine shae						
	dif sitt	The second secon	prise.	<u> </u>				
15 22 than	1 1 1 1 1 1	primer oil	y sank	1000				
22 28 DK HLA	& SOUTH	emustury	aires	wet -				
						THE SAME SHARE A SAME SAME SAME SAME SAME SAME SAME S		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was M constructed reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) [13] and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of C	MEROU	usomental	V I DAY	. by (signature)	arnes bu	KUD		
INSTRUCTIONS: Use typewriter of ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/ind	CX.HUIII.							