					NA-				
WATER WELL RECORD			Form W	WC-5			r Resources App. N	0.	
1 LOCATION OF WATER WELL:			Fraction 1/4 SW 1/4 SW	/ ¼ SW ¼		n Number 15	T 10 S	Range Number R 25 ☑E □W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Elevat	Global Positioning System (GPS) information: Latitude: 39. (105 (in decimal degrees) Longitude: 91. 596 (in decimal degrees) Elevation: Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Magellan					Calleg	Callagtion Method:			
RR#, Street Address, Box #: 401 E. Donovan Rd.					70	GPS unit (Make/Model: Garmin)			
City, State, ZIP Code : Kansas City, KS 66215						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,			
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
N WELL'S STATIC WATER LEVEL 20 ft. below						low land surface measured on mo/day/yr.11-1.(-11			
Pump test data: Well water was								ping gpin	
EST. YIELD gpm. Well water was									
w	Bore Hole Diameter 9.29								
	□ Devote: □ Feedlet □ Oil field water supply □ Dewatering □ Other (Specify below)								
1 1 .	5W 5E								
X	Was a chemical/bacteriological sample submitted to Department? Yes No								
	s If yes, mo/day/yr sample was submitted in Department:								
mile Water well disinfected? ☐ Yes ✓ No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING IOINTS: Fi Glued Fi Clamped Fi Welded VI Threaded									
Casing diameter 1 in to 42 ft. Diameter									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel ✓ PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Garage wronged Troch cut Drilled holes None (open hole)									
Continuous stot									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Dente Other									
1		From 40 ft to	ent Coment grou	ı Wildelic	ft. to	ft	From . -	ft. toft.	
Grout Intervals: From40ft. to									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
		ht sewer lines		Fertilizer			as wen		
		n well		FROM	TO	LITHOL	OG (cont.) or PL	UGGING INTERVALS	
FROM	TO	LITHOLOG	JIC LOG	PROM	10	LITTO. L	OG (COM.) OL LE	OGGITTOTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	
0	3	Silty Clay		 					
8	44	Sand		1		1			
				†					
	 	The state of the s							
									
			/// // // // // // // // // // // // //						
								mated or [7] -la1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No. 7.10. This Water Well Record was completed on (mo/day/year) .11-29-2011 under the business name of Below Ground Surface, Inc. by (signature) by (signature)									
The supply control of the supply of the supp									
1 Control of the state of the state and Environment Rureau of Water Geology Section 1000 SW Jackson St., Suite 420, Tupeka, Kansas 000 12-1507.									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Therefore a solution of the constitution of the constit									
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									
KSA 82a	-1212				Cı	- 1	ت نسا (ر۲−	_ I. /	