WATER WELL RECORD	Form W	WC-5	D	Division of Wate	r Resources App. No	MW-12S	
1 LOCATION OF WATER WELL:	Fraction		Sect	ion Number	Township No.	Range Number	
County: Wyandotte	NE ¼ NW ¼ SE			34	T 10 S	R 25	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			Latit	Global Positioning System (GPS) information: Latitude: .39.1329			
1340' SE of Fairfax Tr. & Stanley Rd., Kansas City, KS			Long	Longitude: 94.6079 (in decimal degrees)			
			Elev	Elevation:			
2 WATER WELL OWNER: Magellan Pipeline, LLC			Colle	<u>Datum</u> : ✓ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 13424 West 98th Street				GPS unit (Make/Model: Google Earth			
City, State, ZIP Code : Shawnee Mission, KS 66215				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,			
3 LOCATE WELL					эш, ү дэ-эш, 📋	<u> 3-13 ш, </u>	
WITH AN "X" IN 4 DEPTH OF	COMPLETED WEL						
SECTION BOX: Depth(s) Ground	ECTION BOX: Depth(s) Groundwater Encountered (1)						
N WELL'S STATIC WATER LEVEL 20.15' ft. below land surface measured on mo/day/yr. 7/8/14. Pump test data: Well water was ft. after hours pumping gpm							
	gpm. Well water						
W E Bore Hole Diam	eter 8.0" in. to .	25.0'	ft., and	in.	to	ft.	
1 ' 1 ' 1 1	TO BE USED AS: [
swse Domestic Irrigation						Other (Specify below)	
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
S If yes, mo/day/yr sample was submitted							
Water well disir	fected? Tyes	No					
5 TYPE OF CASING USED: Stee							
CASING JOINTS: Glued Clar				6 75			
Casing diameter 2.0" in to 5.0' ft., Diameter in to ft., Diameter in to ft. Casing height above land surface. Flush in Weight lbs./ft., Wall thickness or gauge No. Sch.40							
TYPE OF SCREEN OR PERFORATION		L	105./	it., wan unc	kness of gauge No)	
☐ Steel ☐ Stainless Steel							
Brass Galvanized Steel SCREEN OR PERFORATION OPENING		nole)					
Continuous slot Mill slot		Torch cut	Прп	illed holes	None (open hole	A	
Louvered shutter Key punched	☐ Wire wrapped [Saw cut	Ot	her (specify)			
SCREEN-PERFORATED INTERVALS:							
GRAVEL PACK INTERVALS:	From 3.0'	ft to	•••	ft., From	It. t	o ft.	
						o ft.	
6 GROUT MATERIAL: ☐ Neat ceme	nt Cement grout	t Dento	nite [Other			
Grout Intervals: From .0 ft. to		a	fl. to	ft.,	From	ft. toft.	
What is the nearest source of possible conta		Livestock	Denc	□ Incasticida	rtomas 🗀 Oth	(if-, b-l)	
Sewer lines Cesspool	= · ·	Fuel stora		☐ Insecticide ☐ Abandoned		r (specify below)	
☐ Watertight sewer lines ☐ Seepage p	it Feedyard	Fertilizer s	torage	Oil well/gas			
Direction from well							
FROM TO LITHOLOG	IC LOG	FROM 0	TO 20.5 '	3/8 Bentoni		GGING INTERVALS	
			25.0'	Sand Colla			
7 CONTRACTOR'S OR LANDOWNER	'S CERTIFICATIO	N: This wat	er well v	was 🗌 constru	cted, 🔲 reconstru	cted, or 🛮 plugged	
under my jurisdiction and was completed or	n (mo/day/year) .07/0	8/14 a	nd this r	ecord is true to	the best of my kr	owledge and belief.	
Kansas Water Well Contractor's License N	o . bub This V	Water Well R	ecord w	as completed	on (mo/day/year)	08/2//14	
under the business name of PSA Enviror INSTRUCTIONS: Use typewriter or ball point pen	PLEASE PRESS FIRMLY	and PRINT of	by (S	signature)	and check the correct	anguers Send three comies	
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW Jac	kson St., Suite 420, T	opeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WAT. http://www.kdheks.gov/waterwell/index.html.	ER WELL OWNER and I	retain one for	our recor	rds. Include <u>fee</u>	of \$5.00 for each <u>co</u>	nstructed well. Visit us at	
SA 82a-1212			Cl	heck: Whi	ite Copy, Blue	e Copy, Pink Copy	