WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No.

1 LOCATION OF WATER WELL:			Fraction					Section Number		Township Number			Range Number		
County:	Wya	ndotte	S2	1/4	SE 1		1/4	34		T	10	s	R	25	Е
Distance at	nd direction fro	m nearest town	or city stre	eet addres	s of well	if located w	ithin city?								
		R: Huhtam										··-			
		: 9201 Pa		Dr.						Board of	Aaricult	ure. Divi	sion of V	Vater Resou	rces
City State	7IP Code	· De Soto	. KS 660							Applicat	_		5,0,, 0, 0	10101110000	
LOCAT	E WELL'S LOC	CATON WITH	4				40								
AN "X"	N SECTION B	OX:	DEPTH												
1 L	NW	. NE	Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 WELL'S STATIC WATER LEVEL 16.51 ft. below TOC measured on mo/day/yr 11/18									11/18/14			
₩ W		i x	Est. Yield		anm.	Well water	wae		ft of	fter		hours n	ımnina	9	
Ī [Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 8.25 in. to 48.53 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify be									ft.			
	sw	- SE	1 Dor	mestic 3	Feed io	t 6 Oil	field water	er supply	1	9 Dewa	tering	12	Other	(Specify bel	ow)
↑ L	S	┷┙╽	2 Irrig	gation 4	Industri	al 7 La	wn and ga	arden (dome	estic)	10 Mor	itoring w	eli			
			submitted		enologica			Departme						yr sample w No X	ras
		SING USED:			_	nt Iron	8 Con	crete tile		CASING	JOINT	S: Glued		Clamped	
	eel /C	3 RMP (S 4 ABS	-			os-Cement				1		Welde		Eluch	_
										L		Inread	ea	Flush	_
Blank casir	ng diameter	1 surface	in. to	43.53	ft., Dia	·	in	. to	f	t., Dia			in. to		ft.
TYPE OF S	ght above land SCREEN OR P	surface ERFORATION	MATERIA	in., [,] L:	weight _		./U3 	lbs.	./ft. Wa	all thickne	ss or ga Asbest	uge No. os-ceme:	. nt	SCH. 40	
1 St	eel	3 Stainles	ss steel	5	Fibergla	ass		RMP (SF	₹)	—— 11	Other (specify)			
2 Br		3 Stainles 4 Galvani	zed steel	6	Concre	te tile		ABS	,	12	None u	sed (ope	n hole)		-
		HON OPENING	35 ARE:			5 Gauze	d wrapped	1	1	8 Saw cu	ıt	•	11 Nor	ne (open hol	e)
	ontinuous slot		Vill slot			6 Wire w	rapped			9 Drilled					
		4 H				7 Torch			10	0 Other	(specify))			
SCREEN-F	PERFORATED	INTERVALS:							ft. Fron	n		ft. to		·	ft.
0.5	AVEL DACK II	AITED\/ALC.	From -	44 5	1	t. to	40 E		ft. Fron	n 		ft. to			ft. 70
Gr	CAVEL PACK I	NTERVALS:	From _ From	41.0		τ. το * ••	40.5	? ¹	it. Fron	n -		ft. to) 	·	ft.
6 GPOLIT	MATERIAI ·	1 Neat ce		2 Co	mont area	t. to	2 0	ntonito	t. FION	<u> </u>		ft. to			ft.
Croud Inter	vels From	2 6	.	1 52	a F	ul	3 00	entonite	4	Other		-			
What is the	vais FIUIII	2 fe of possible co	t. (U	1.00	π. From		π	. 10		π. Η	rom	44	π. to		π.
	eptic tank	•			7	Pit privy		10 Li	vestoci	k pens		15 Oil	indoned	water well	1
	ewer lines		5 Cess p	nol	,	Pit privy Sewage I	agoon	12 F4	ucı sıvı ertilizer	etorane		16 Oth	er (enec	s well afy below)	l
	atertight sewer		6 Seepag			Feedyard				de storag		10 041	ei (apec	aly below,	
Direction fr	om well?			,				How ma		•					
FROM	TO	CODE		THOLOG	C LOG		FROM				PLUG	GING IN	TERVA	LS	
0	0.25		halt						\perp						
			nd, brown												SEC.
0.25	48.53	1 1	w 40'	eu, trace	coarse	sano									
	10.00						 	1	_						
									+						
							ļ								
	 						-		C	10. /ha			\4	ICCOA\	
					 	GPS: (horizontal datum: WC					VG304)				
							 	-		ngituc					
							 			great	II (7.503			$\overline{}$
7 CONTR	ACTOR'S OR	LANDOWNER	'S CERTIF	ICATION:	This wat	ter well was	(1) constr	ucted, (2) r	econstr	ructed, or	(3) pluad	ed unde	r my juri	sdiction and	was
	on (mo/day/yr)			11/18/1										oelief. Kans	- 1
		icense No.	. .		31			Water Wel			•		•		
	ousiness name			Engine		LLC		by (signatu			سامہ		-ay/y()		
INSTE	RUCTIONS: Ple	ease fill in blanks Topeka, Kansas	and circle th	ne correct a	nswers. S	Send three co	pies to Ka	nsas Depart	ment of	Health an	d Environ	ment. Bu	reau of V	Vater, 1000 S	w