WATER WELL R		ision of Water							
Original Record		Change in W			ources App. No		Well ID		
1 LOCATION OF W			tion 4. 1/4 SE1/4	1	tion Number 29	Township Numb		nge Number	
County: Wyandott	NE ½ 29 T 10 S R 25 ■ E □ W Street or Rural Address where well is located (if unknown, distance and								
					direction from nearest town or intersection): If at owner's address, check here:				
Address: One Williams Center					,				
Address:	North of 12th Street & Esplande on N. side of RR tracks								
City: Tulsa 3 LOCATE WELL	1		74172		<u> </u>				
WITH "X" IN	4 DEPTH O	F COMPLE	TED WELL:	40 ft	. 5 Latitud	le: 39.1489	58	(decimal degrees)	
SECTION BOX:	" 1 2\								
N	WELL'S STATIC WATER LEVEL:								
	☐ below land surface, measured on (mo-day-yr) GPS (unit make/model:)				
NWNE	above land surface, measured on (mo-day-yr)				, , , , , , , , , , , , , , , , , , , ,				
	Pump test data: Well water was ft. after hours pumping				☐ Land Survey ☐ Topographic Map				
W	auci	as		Online Mapper: Google earth					
SWSE	after hours pumping gpm								
	Estimated Yield:gpm				6 Elevation:				
S	Bore Hole Dia	Dore Trole Diameter:							
1. Domestic:			pply: well ID		10. 🔲 Oil l	Field Water Supply: 1	ease		
☐ Household		11. Test Hole: well ID							
Lawn & Garden						☐ Cased ☐ Uncased ☐ Geotechnical			
☐ Livestock 2. ☐ Irrigation	☐ Livestock 2. ☐ Irrigation 8. ☐ Monitoring: well ID					12. Geothermal: how many bores?			
3. ☐ Feedlot ☐ Air Sparge ☐ Soil Vapor Extr					b) Open Loop Surface Discharge Inj. of Water				
4. Industrial		ecovery	Injection			er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:									
Water well disinfected? ☐ Yes ■ No									
8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter 1 in to 38 ft., Diameter in to ft., Diameter in to ft. Diameter in to ft. Casing height above land surface 0 in Weight lbs./ft. Wall thickness or gauge No. SCh.40									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot									
SCREEN-PERFORATED INTERVALS: From .38 ft. to .40 ft., From									
GRAVEL PACK INTERVALS: From 36 ft. to 40 ft., From ft. to ft., From ft. to ft., From ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other									
Grout Intervals: From 0 ft. to 36 ft., From ft. to ft., From ft. to ft. From ft. to ft.									
Nearest source of possible Septic Tank		eral Lines	☐ Pit Privy	п	Livestock Pens	☐ Insecti	cide Storage		
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well									
Direction from well?									
10 FROM TO		HOLOGIC LO		FROM		ITHO. LOG (cont.) or		GINTERVALS	
	VA ETT	LIGIOGIC D		- 110411	-0 1			- IIIII	
				Notes:					
110665									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo-day-year) 2-21-16									
under the business name	e of Environm	ental Priority	Inis wa	Si	enatureY	AL TIL	car)	x./1.v	
Mail 1 white copy ald	ong with a fee of \$5.	.00 for each constr	ructed well to: Kar	sas Department	of Health and Er	vironment, Bureau of W	ater, GWTS S	Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.									
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									