WATER WELL R		m WWC-5		ision of Water			
Original Record		hange in Well Use		urces App. No.		Well ID	
1 LOCATION OF WA		Fraction 4 4 SE 4	1	tion Number 29	Township Number	er Range Number R 25 ■ E □ W	
2 WELL OWNER: La		First:		reet or Rural Address where well is located (if unknown, distance and			
Business: Magellan Midstream Partners, L.P.  Succession from nearest town or intersection): If at owner's address, check here:							
Address: One Williams Center							
Address:  City: Tulsa State: OK ZIP: 74172  North of 12th Street & Esplande on N. side of RR tracks							
City: Tulsa 3 LOCATE WELL	T			<u> </u>			
WITH "X" IN	4 DEPTH OF C	COMPLETED WELL:	40 ft.	5 Latitud	5 Latitude: 39.149060 (decimal degrees)		
SECTION BOX:		ater Encountered: 1)					
N		3) ft., or 4) [ WATER LEVEL:					
		face, measured on (mo-day		Source for Latitude/Longitude:  GPS (unit make/model:)			
NWNE	above land sur						
	Pump test data: W		☐ Land Survey ☐ Topographic Map				
W	after hours pumping			■ Online Mapper: Google earth			
SWSE		ell water was					
	after hours pumping gpm Estimated Yield:gpm			6 Elevation	on:ft.	☐ Ground Level ☐ TOC	
S	Bore Hole Diameter: 3.25 in to 40					SPS   Topographic Map	
7 WELL WATER TO BE USED AS:							
1. Domestic:		Water Supply: well ID tering: how many wells?				ase	
☐ Household☐ Lawn & Garden			11. Test Hole: well ID				
Livestock	7. Aquifer Recharge: well ID			12. Geothermal: how many bores?			
2. Irrigation	9. Environmental Remediation: well ID .!N			a) Closed Loop  Horizontal  Vertical			
3.  Feedlot	☐ Air Sparge ☐ Soil Vapor Extract			b) Open Loop  Surface Discharge  Inj. of Water			
4. Industrial	☐ Recov						
Was a chemical/bacteriological sample submitted to KDHE?   Yes No If yes, date sample was submitted:							
Water well disinfected? ☐ Yes No  8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other							
8 TYPE OF CASING	USED: 🗆 Steel 🔳	PVC Other	CASIN	IG JOINTS: [	☐ Glued ☐ Clamped	☐ Welded ☐ Threaded	
Casing diameter 1 in to 38 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface 0 in. Weight lbs/ft. Wall thickness or gauge No. sch 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
Steel Stainless Steel Fiberglass ■ PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ■ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)  SCREEN-PERFORATED INTERVALS: From							
GRAVEL PACK INTERVALS: From36 ft. to40 ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
Nearest source of possible contamination:							
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well							
□ Watertight Sewer Lines       □ Seepage Pit       □ Feedyard       □ Fertilizer Storage       □ Oil Well/Gas Well         □ Other (Specify)							
Direction from well? fi.							
10 FROM TO		LOGIC LOG	FROM			PLUGGING INTERVALS	
N							
			Note				
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo-day-year) .2-21-16 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Cont	ractor's License No	o. 604 This Wa	ter Well Reco	ord was compl	eted on (mo-day-ve	ar)	
under the business name	of Environmenta	al Priority Service, inc	Sig	nature\t	M. Mt		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.goy/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							