W	ATER WE	ELL PLU	GGING R	ECORD	Form WW	C-5P	KSA 82	a-1212 II	NO.	INIAA-LI	
1	LOCATION County: Wy			Fraction NW ¼NW	¼ NW ¼ SW ⅓	4 34	Number	Township N T 10	S	Range Number 25 E W	
	Street/Rural Address of Well Location; if unknown, distance & Global Positioning Systems (GPS) information:										
	direction from	m nearest tov	wn or intersecti	on: If at owne	r's address,	Latitude: 39.135443 (in decimal degrees) Longitude: -94.621364 (in decimal degrees)					
ŀ	check here		Barland Park								
	Asphalt parking lot East Side of road at						Elevation: 848 Horizontal Datum: WGS84, NAD83, NAD27				
	2606 North 5th Street, KC, KS 66101						Method:			Namos, [Namoza	
A WARDD WALL OFFICE Unified Cost of Whondotte Chi							GPS unit (Make/Model:				
2	2 WATER WELL OWNER: Unified Govt of Wyandotte Cty RR#, St. Address, Box #: 701 North 7th Street						Digital Map/Photo, Topographic Map, Land Survey				
	City, State ZIP Code: Kansas City, KS 66101										
ļ	Chy, State	ZII COUC.	Naiisas Ci	ty, NS 0010	· · · · · · · · · · · · · · · · · · ·	Est. Accura	Est. Accuracy: \square < 3 m, \square 3-5 m, \square 5-15 m, \square > 15 m				
3	MARK WI	MARK WELL'S LOCATION 4 DEPTH OF WELL 55.46 ft.									
	WITH AN "X" IN SECTION										
	BOX: WELL'S STATIC WATER LEVEL Dry ft										
	WELL WAS USED AS:										
	NW NE Domestic Public Water Supply Dewatering										
	Irrigation Oil Field Water Supply Monitoring										
N	W Feedlot Domestic (Lawn & Garden) Injection Well										
	Sw SE Industrial Air Conditioning Other MW-H										
	Was a chemical/bacteriological sample submitted to Department? Yes ☐ No ☑										
5 TYPE OF BLANK CASING USED:											
5 I I I E OF BLANK CASHING USED.											
-	Steel RMP (SR) Wrought Fiberglass Other (Specify below)										
PVC ABS Asbestos-Cement Concrete Tile											
Blank casing diameter 6 in. Was casing pulled? Yes No V If yes, how much											
Casing height above or below land surface 0 in.											
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other Asphalt 0 to 3 feet											
Count Plan Internal Day Service And Servic											
Grout Plug Intervals: From 3 ft. to 55.46 ft., From ft. to ft., From ft., From ft. to ft.											
	What is the nearest source of possible contamination:										
	☐ Septic		ΓĪS	eepage pit	Fuel s	torage		Other (specify	below)		
		lines	P	it privy	Fertili	zer storage	_	Closed Land	fill		
1		tight sewer	lines S	ewage lagoor		cide storage					
	Latera			eedyard		oned water		rection from w			
	Cess p	100l	П г	ivestock pens	Uil we	ll/Gas well	НС	ow many feet?	~5U-16		
	FROM	то	PI I IC	GING MAT	ERIALS	FROM	ТО	PIII	GGING	MATERIALS	
		2	Asphalt			1 10191		1.50	JJ2.10		
			Concrete					1			
	2	3 EE 46	4	avdrated in li	fts 20 gallons)						
	3	55.46	Delimine (L	iyuraleu III II	no zv galivns)		 				
											
							<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was											
completed on (mo/day/year) 4-25-2017 and this record is true to the best of my knowledge and belief. Kansas Water											
Well Contractor's License No. 759 . This Water Well Record was completed on (mo/day/year) 5-2/20/17 under the											
business name of RAZEK Environmental, LLC by (signature)											
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS											
30	YIG OHE WHILE	660 660	612-1367. Se	end one copy	to WATER WE	LL OWNE	R and retai	n one for you	records		
					eks.gov/waterw			hone 785-296			
			_		_		_				
					KSA	82a-1212				Revised 1/20/2015	

MW-H