County: Wyandotte Fraction: SW SW NE Sec. 34 T 10 S R 25 E						
CORRECTION(S) TO WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)						
Owner: INX International Ink Co						
If location corrected, was listed as: Location changed to:						
Section-Township-Range:						
Section-Township-Range:						
Other changes: Initial statements:						
Changed to:						
Comments: Water well owner was listed in well location box and						
water well location was listed in water well owner box						
Water Well location was listed in water well owner box Verification method: Interactive Geologic Map-checked lat/long and						
address						
Initials: M Date: 10-30-2018						
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Avenue, Lawrence, KS 66047-3724  Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367						
(01/26/2018						

W	ATER WELL PLUGGING R	RECORD Form WV	VC-5P KSA 8	2a-1212 ID NO.	1NX-30		
1	LOCATION OF WATER WELL: County: Wyandotte	Fraction  4 sw 4 sw 4 ne	Section Number	Township Number	Range Number 25  E W		
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here INX International Ink Co.    Global Positioning Systems (GPS) information:   Latitude: 39.13650 (in decimal degree levation: 747						
	150 N. Martingale Road, Ste. 700 Schaumburg, IL 60173  Horizontal Datum: WGS84, NAD83, Nade National N						
2	WATER WELL OWNER: Form RR#, St. Address, Box #: Stanley City, State ZIP Code: Kansas C	☐ Digital Map/P	GPS unit (Make/Model:  ☐ Digital Map/Photo,				
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF WELL 20.0 ft. WELL'S STATIC WATER LEVEL 16.50 ft					
W	WELL WAS USED AS:    Domestic						
5	S TYPE OF BLANK CASING USE	ED:					
	Steel RMP (SR) Wrought Fiberglass Other (Specify below)  PVC ABS Concrete Tile  Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much						
	Casing height above or below land surface 0 in.						
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other  Grout Plug Intervals: From 3 ft. to 20.0 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft.							
What is the nearest source of possible contamination:  Septic tank Seepage pit Pit privy Fertilizer storage Watertight sewer lines Lateral lines Feedyard Cess pool  What is the nearest source of possible contamination:  Full storage Fertilizer storage Insecticide storage Abandoned water well Direction from well? Adjacent How many feet? 0-feet							
	FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS						
	0 3 Topsoil/gra 3 20.0 Bentonite (	ss seed					
	20.0 Demonite (	nydrateu)					
		***************************************					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 9/4/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 759 . This Water Well Record was completed on (mo/day/year) 9/16/2018 under the business name of RAZEK Environmental, LLC by (signature)							
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.  Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> Telephone 785-296-5524.							
		KSA	A82a-1212		Revised 1/20/2015		

