County: Wyandotte Fraction: SW SW NE Sec. 34 T 10 S R 25 E
CORRECTION(S) TO WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)
Owner: INX International Ink Co
If location corrected, was listed as: Location changed to:
Section-Township-Range:
Section-Township-Range:
Other changes: Initial statements:
Changed to:
Comments: Water well owner was listed in well location box and
water well location was listed in water well owner box
Water Well location was listed in water well owner box Verification method: Interactive Geologic Map-checked lat/long and
address
Initials:Date:Date:
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Avenue, Lawrence, KS 66047-3724  Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367

W	ATER WELL PLUGGING	RECORD	Form WW	C-5P	KSA 82:	a-1212 ID No	o. IMX - 04		
1	LOCATION OF WATER WELL: County: Wyandotte	Fraction 1/4 sw 1	4 sw ½ ne ½	Section	Number	Township Num			
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here INX International Ink Co.  150 N. Martingale Road, Ste. 700 Schaumburg, IL 60173				Clobal Positioning Systems (GPS) information:  Latitude: 39.13651 (in decimal degrees)  Longitude: -94.61206 (in decimal degrees)  Elevation: 748  Horizontal Datum: WGS84, NAD83, NAD27				
2	WATER WELL OWNER: Former INX Facility RR#, St. Address, Box #: Stanley Rd. and Chrysler City, State ZIP Code: Kansas City, KS 66115				Collection Method:  GPS unit (Make/Model:  Digital Map/Photo,				
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WELL'S STATIC WATER LEVEL 17.50  WELL WAS USED AS:  Domestic Public Water Supply Oil Field Water Supply Domestic (Lawn & Garden) Feedlot Industrial Domestic (Lawn & Garden) Industrial Was a chemical/bacteriological sample submitted to Department? Yes No								
5	5 TYPE OF BLANK CASING USED:  Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Concrete Tile  Blank casing diameter 2 in. Was casing pulled? Yes No V If yes, how much Casing height above or below land surface 0 in.								
6	Grout Plug Intervals: From 3 ft. to 30.0 ft., From N/A ft. to N/A ft., From N/A ft. to N/A ft.  What is the nearest source of possible contamination:  Septic tank Sewer lines Watertight sewer lines Lateral lines Cess pool  Septic tank Seepage pit Pit privy Sewage lagoon Livestock pens Sewage lagoon Cess pool  Cement grout  Bentonite Other Other  Other  Other  Other (specify below) Fruel storage Fruel storage Insecticide storage Abandoned water well Oil well/Gas well Direction from well? Adjacent How many feet? 0-feet								
	FROM TO PLU	GGING MATE	RIALS	FROM	ТО	PLUGG	ING MATERIALS		
	0         3         Topsoil/gra           3         30.0         Bentonite (								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 9/4/2018 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 759 . This Water Well Record was completed on (mo/day/year) 9/16/2018 under the business name of RAZEK Environmental, LLC by (signature)									
Se	Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.  Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a> Telephone 785-296-5524.								
KSA82a-1212 Revised 1/20/2015									

