	LOCATION OF WATER WELL:	Fraction	1/	Section 1/4	Number	Township Number	
	County: Street/Rural Address of Well Location;	if unknown distance		Global Po	ositioning S	T S Systems (GPS) inform	BE T
	direction from nearest town or intersect			Latitude:			(in decimal degr
	check here			Longitude Elevation	:		
				Datum:	. WG	S84, NAD83,	, NAD27
				Collection	n Method:		
2	WATER WELL OWNER:			□ □ GP	S unit (Mak	re/Model:	
	RR#, St. Address, Box #:					oto, Topographic M	
	City, State ZIP Code:	T		Est. Accura	<u>асу</u> : Ц <	3 m, 3-5 m, 1	5-15 m, $\square > 15 \text{ m}$
	MARK WELL'S LOCATION	4 DEPTH OF	WELL _		ft.		
	WITH AN "X" IN SECTION BOX:	WELL'S STATIC WATER LEVEL ft					
	N	WELL WAS				1t	
		_	_	_			
	NW NE	Domestic Irrigation	1		Vater Suppl 1 Water Sup		
	. Н Н Е	Feedlot					tion Well
	SW SE	☐ Industrial	ı L	☐ Air Con	ditioning		·
		Was a chemic	cal/hacter	riological san	nnle submit	ted to Denartment? Y	∕es □ No □
	S	Was a chemical/bacteriological sample submitted to Department? Yes No					
	Blank casing diameter in. Casing height above or below land	Was casing pulle surface	d? Yes [If yes, ho		
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft. to ft. to ft.	d? Yes [inCent, Fro	No No nent grout	If yes, ho Benton	w much ite	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft. to ft. le contamination: eepage pit	d? Yes [inCeni., Fro	No No nent grout	If yes, ho Benton	w much	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines Prom Watertight sewer lines S	Asbestos-Cement Was casing pulle surface Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon	d? Yes [in	No No nent grout storage lizer storage ticide storage	If yes, ho Benton	w much iite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft. to ft. to eepage pit it privy ewage lagoon eedyard	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc	No No nent grout storage lizer storage ticide storage doned water	If yes, ho Benton t. to well Dir	w much ite Other _ft., From Other (specify below) ection from well?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines P Watertight sewer lines S Lateral lines F	Asbestos-Cement Was casing pulle surface Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc	No No nent grout storage lizer storage ticide storage	If yes, ho Benton t. to well Dir	w much iite	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft. to ft. to eepage pit it privy ewage lagoon eedyard	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No No nent grout storage lizer storage ticide storage doned water	If yes, ho Benton t. to well Dir	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	d? Yes [in. Cem, Fro Fuel: Fertil Insec Abanc Oil w	No N	If yes, ho Benton t. to well Dir Ho	w much ite Other _ft., From Other (specify below) ection from well? w many feet?	ft. to ft.
	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA	d? Yes [in Cem	No N	If yes, ho Benton t. to well TO	w much ite	ft. to ft.
7 com	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. to ft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens GGING MATERIA VNER'S CERTII	d? Yes [in	No N	If yes, ho Benton t. to well Dir Ho TO	w much	ft. to ft. MATERIALS my jurisdiction and d belief. Kansas W
7 com Wel	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cemen Was casing pulle surface Neat cement ft. toft le contamination: eepage pit it privy ewage lagoon eedyard ivestock pens WNER'S CERTILar This Wa	d? Yes [in	No N	If yes, ho Benton It. to Well Dir Ho TO To Tater well very to the best completed of	w much ite Other _ft., From Other (specify below) ection from well? w many feet? PLUGGING was plugged under n of my knowledge an on (mo/day/year)	ft. to ft. MATERIALS ny jurisdiction and d belief. Kansas W under

KSA82a-1212

Revised 1/29/2014