| | | RECORD | | WWC-5 | | rision of Water | i i | MW-207A | |
|--|---------------|---------------------------------|---|--|-----------------|---|--|---|--|
| | | | | e in Well Use | | ources App. No | | Well ID | |
| 1 LOCATION OF WATER WELL: | | | L: | Fraction | | tion Number | | | |
| | : Wyandot | | | NW 1/4 SE 1/4 SW 1/4 | | 27 | T 10 S | R 25 ■E □ W | |
| 2 WELL | | | | First: | | | | (if unknown, distance and | |
| Address: | | Motors Corpo leberger Roa | | | direction from | nearest town or i | ntersection): If at owne | r's address, check here: | |
| Address: | TOO KIIIU | ieneidei koa | iu | | | | | | |
| City: | Kansas C | City | State: KS | ZIP: 66115 | | | | | |
| 3 LOCATE | E WELL | 4 DEDTU | OF COM | IPLETED WELL: | 27 A | 5 Totitue | 39 1516 | 45 (desired dermoss) | |
| WITH "Y | | | | Encountered: 1) | | t. 5 Latitude: 39.151645 (decimal degrees) Longitude: -94.609423 (decimal degrees) | | | |
| SECTION N | | | | 3) ft., or 4) [| | Horizon | ude WGS 8 | 4 \(\text{NAD 83} \) \(\text{NAD 27} \) | |
| 1 | | | WELL'S STATIC WATER LEVEL: ft. | | | | for Latitude/Longitude | | |
| | 1 | | below land surface, measured on (mo-day-yr) | | | | | ·) | |
| NW | I . | | above land surface, measured on (mo-day-yr) | | | | (WAAS enabled? □ | | |
| 1,,, | _X | | Pump test data: Well water was | | | | ■ Land Survey □ Topographic Map □ Online Mapper: | | |
| W | E | arter | Well water was ft. | | | | line Mapper: | | |
| sw | SE | after hours pumping gpm | | | | | | | |
| | | Estimated Y | Estimated Yield:gpm | | | 6 Elevation: | | | |
| s | | Bore Hole I | Bore Hole Diameter:8.5 in. to27 | | | Source: | | | |
| 1 mile in. to ft. | | | | | | | | | |
| 7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID | | | | | | | | | |
| | | | | | | | 10. Oil Field Water Supply: lease | | |
| | | | 6. ☐ Dewatering: how many wells? 7. ☐ Aquifer Recharge: well ID 8. ■ Monitoring: well ID | | | ☐ Cased ☐ Uncased ☐ Geotechnical | | | |
| ☐ Livestock 8. ■ Moni | | | Monitorin | g: well ID MW- | 207A | | 12. Geothermal: how many bores? | | |
| 2. Irrigation 9. Environment | | | al Remediation: well II | Remediation: well ID a) Closed Loop Horizontal | | | tal 🔲 Vertical | | |
| | | | | ☐ Soil Vapor Extraction b) Open Loop ☐ Surface Discharge | | | | | |
| 4. Industri | | |] Recovery | | | | | | |
| Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted: | | | | | | | | | |
| Water well disinfected? ☐ Yes ■ No 8 TYPE OF CASING USED: ☐ Steel ■ PVC ☐ Other | | | | | | | | | |
| 8 TYPE O | F CASING | GUSED: 🗆 S | teel PV | C Other | CASI | NG JOINTS: | ☐ Glued ☐ Clampe | d ☐ Welded ■ Threaded | |
| Casing diameter | | | | | | | | | |
| Casing height above land surface | | | | | | | | | |
| ☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify) | | | | | | | | | |
| ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) | | | | | | | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | | |
| ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) | | | | | | | | | |
| ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole) | | | | | | | | | |
| SCREEN-PERFORATED INTERVALS: From17 | | | | | | | | | |
| GRAVEL PACK INTERVALS: From | | | | | | | | | |
| 9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ■ Other Concrete Grout Intervals: From 0 ft. to ft., From ft. to 14.5 ft., From ft. to ft. | | | | | | | | | |
| Nearest source of possible contamination: | | | | | | | | | |
| ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage | | | | | | | | | |
| Sewer L | | | Cess Pool | ☐ Sewage La | | Fuel Storage | ☐ Aband | oned Water Well | |
| ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well | | | | | | | | | |
| ☐ Other (Specify) | | | | | | | | | |
| 10 FROM | TO T | | ITHOLOG | | FROM | | | PLUGGING INTERVALS | |
| | | Clay, sandy, | | | 1 KOWI | 10 1 | 22110. DOG (COIII.) 01 | I LOGGING INTERVALS | |
| | | Clay, salidy, Clay, silty, w | | | · | | | | |
| | | Clay, silty, w | | | | | | | |
| | | Sand, f, silty | | | | | ··· <u>-</u> ··· | | |
| | | Sand, f-m, G | | | | | | | |
| | | | | | | | | | |
| | | | | | Notes: | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged | | | | | | | | | |
| under my jurisdiction and was completed on (mo-day-year) .9/17/2019 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on 1999 day-year) .5/7/2020 | | | | | | | | | |
| under the business name of GeoCore, LLC Signature LCL Signature | | | | | | | | | |
| Mail 1 | white copy al | ong with a fee of | \$5.00 for eac | h constructed well to: Kar | isas Department | of Health and E | nvironment, Bureau of W | ater, GWTS Section, | |
| | | | | 66612-1367. Mail one to | | | | none 785-296-5524. | |
| Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015 | | | | | | | | | |

Myandotte

27-110-R25E



Project Site:

Former General Motors Corp., 100 Kindleberger Road, Kansas City

GPS Coordinates:

MW-200: 39.151692, -94.613351 MW-201: 39.155697, -94.614706 MW-202: 39.153334, -94.614938 MW-203: 39.150406, -94.614568 MW-204A: 39.151352, -94.612049

MW-204B: 39.151334, -94.612050

MW-205A: 39.150502, -94.611124 MW-205B: 39.150500, -94.611100 MW-206A: 39.154714, -94.611716 MW-206C: 39.154724, -94.611704 MW-207A: 39.151645, -94.609423

MW-207B: 39.151635, -94.609405 MW-207C: 39.151628, -94.609430 MW-208A: 39.149778, -94.606494

RECEIVED MW-2088: 39.149778, -94.606511 MW-208C: 39.149779, -94.606527

BUREAU OF WATER