			WATE	R WELL RECORD F	orm WWC-5	KSA 82	a-1212		MW-2	
	ON OF WATE		Fraction	_ ^	, Sect	on Numbe	Township	•	Range Number	
County:	Wyand	9#6	SE 1/4		V 1/4	28	<u> </u>	) s	R 25 (E)W	
Distance ar	$\sim$ .	_		ddress of well if located	within city?					
· · · · · · · · ·	766	Sunsh		C						
-		IER: MODI		Corporation			D	A	Di dalam af Matau Basanas	
		# 3000	South	20th Stre	7			•	Division of Water Resource	
City, State,			uget,	rr 6333				on Number:		
AN "X"	NELL'S LO	BOX:								
	N		Depth(s) Ground	water Encountered 1	t.t	<i></i> ft.	2	tt. 3	8-2-90ft.	
1	-			WATER LEVEL (. (					•	
-	- NW	- NE							mping gpm	
1	!	!							mping gpm	
• w -	<del>-                                    </del>	E			-				. to	
_			1 Domestic		Public water		8 Air conditioni 9 Dewatering	_	Injection well Other (Specify below)	
-	_ sw _X	SE				,				
1 1	!	!	2 Irrigation				(10)Monitoring w	<b>v</b>		
<u> </u> ∟	<u> </u>		mitted	bacteriological sample su	omitted to De	-	ater Well Disinfe		, mo/day/vr sample was sul	
TVDE	DE BLANK C	ASING USED:	mitea	5 Wrought iron	8 Concre				d Clamped	
_		3 RMP (S	D)	6 Asbestos-Cement		specify belo			led	
1 Ste		4 ABS	Π)	7 Fiberglass					aded	
		<b>A</b>	in to 4	Ţ.					in. to ft	
									lo	
				.m., worgin	(7)PV			sbestos-cem		
	TYPE OF SCREEN OR PERFORATION MATERIAL:			5 Fiberglass	8 RMP (SR)			11 Other (specify)		
	1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel			6 Concrete tile	9 ABS			12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:					5 Gauzed wrapped		8 Saw cut	.0.10 4004 (0)	11 None (open hole)	
	ontinuous slot		fill slot	6 Wire w	• •		9 Drilled hole	s	(open nois)	
	uvered shutte	_	ey punched	7 Torch o	• •					
		D INTERVALS:		. 4 ft. to	$\sim$ 4	ft., Fr	` '	• /	toft.	
			From	<u>.</u> ft. to		ft., Fr	om	ft.	toft.	
0	GRAVEL PAC	K INTERVALS:	From	. <b>3</b> ft. to	.24,5	ft., Fr	om	ft.	toft	
			From	ft. to		ft., Fr	om	ft.	to ft	
6 GROUT	MATERIAL:			2 Cement grout	3 Bento					
Grout Inter				ft., From	) ft.	to <b>3</b> .	ft., From		ft. to	
What is th	e nearest so	urce of possible	contamination:	ע		10 Live	10 Livestock pens		14 Abandoned water well	
1 Se	1 Septic tank 4 Lateral lines			7 Pit privy		(11)Fuel storage		15 (	15 Oil well/Gas well	
	ewer lines	5 Cess	•				tilizer storage	16 (	Other (specify below)	
	3 Watertight sewer lines 6 Seepage pit			9 Feedyard	13 Insecticide storage					
Direction f		Wes+			1 ==0.4		any feet?	DILLICOING	INTERVALO	
FROM	то		LITHOLOGIC	LOG	FROM	TO		PLUGGING	INTERVALS	
Υ	10 =		crete							
	13.5	_ G May	and brow	n, Sitty clay,						
12 E					1		1			
13.5	24.5	brayis	sh-Down	, fine solnd						
13.5	24.5	lorayis	sh-Drown	, time sains						
13.5	24.5	lorayls	sh-umwn	, time solna						
13.5	24.5	lorayis	Sh-Drown	, time solid						
13.5	24.5	GrayIs	Sh-DWW	, time solid						
13.5	24.5	GrayIs	SH-DROWN	, time solid						
13.5	24.5	GrayIs	Sh-Drown	, time sound						
13.5	24.5	GrayIs	Sh-Orown	, time sound						
13.5	24.5	GrayIs	Sh-Orown	, time sound						
13.5	24.5	GrayIs	Sh-Orown	, time sound						
13.5	24.5	GrayIs	Sh-Orown	, time solid						
13.5	24.5	GrayIs	Sh-Orown	, time solid						
7 CONTI	RACTOR'S C	OR LANDOWNE	R'S CERTIFICAT	TON: This water well wa	_					
7 CONTI	RACTOR'S C	OR LANDOWNE	R'S CERTIFICAT	TION: This water well wa		and this re	cord is true to the		der my jurisdiction and wa	
7 CONTI	RACTOR'S Clon (mo/day/ill Contractor's	OR LANDOWNE year)	FI'S CERTIFICAT	TON: This water well wa		and this re s complete	cord is true to the d on (mo/day/yr)			
7 CONTI completed Water We under the	RACTOR'S Clon (mo/day/ill Contractor's business nar	OR LANDOWNE year)	R'S CERTIFICAT	TON: This water well wa	ell Record wa	and this re s complete by (sig	cord is true to the d on (mo/day/yr) nature)	best of my k	nowledge and belief. Kansa	