

Well # 66

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Wyandotte</u>	<u>SW 1/4 SE 1/4 SE 1/4</u>	<u>34</u>	T <u>10</u> S	R <u>25</u> <u>EN</u>

Distance and direction from nearest town or city street address of well if located within city?

Kansas City Kansas

2 WATER WELL OWNER:	RR#, St. Address, Box # :	Board of Agriculture, Division of Water Resources
	<u>Phillips Petroleum Company</u>	
	City, State, ZIP Code :	Application Number:
	<u>Bartlesville, Oklahoma 74004</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>20.0</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>0</u> 2. <u>12.0</u> ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter: <u>5</u> in. to <u>20.0</u> ft., and in. to ft.	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Observation well</u>
	Was a chemical/bacteriological sample submitted to Department? Yes..... No <u>X</u> ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter: <u>2</u> in. to <u>5</u> ft., Dia in. to ft., Dia in. to ft.			Threaded. <u>X</u>
Casing height above land surface: <u>24</u> in., weight lbs./ft. Wall thickness or gauge No. <u>Sch. 40</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
1 Steel	3 Stainless steel	9 ABS	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
3 <u>Mill slot</u>			
SCREEN-PERFORATED INTERVALS: From <u>5.0</u> ft. to <u>20.0</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From <u>5.0</u> ft. to <u>20.0</u> ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 <u>Cement grout</u>	3 <u>Bentonite</u>	4 Other
Grout Intervals: From <u>9.0</u> ft. to <u>4.5</u> ft., From <u>4.5</u> ft. to <u>5.0</u> ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
Direction from well?				How many feet? <u>60</u> <u>storage tanks from refinery</u>

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
<u>0.0</u>	<u>12.0</u>	<u>gray sandy clayey silt wet</u>	<u>03</u>	<u>05</u>	
<u>12.0</u>	<u>20.0</u>	<u>gray sand wet</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2-1-83</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>438</u> This Water Well Record was completed on (mo/day/yr) <u>2-2-81</u> under the business name of <u>Kansas City Testing Laboratory</u> by (signature) <u>Jim Rodwell</u>

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

DP

OFFICE USE ONLY
T
10
R
25
5W
SEC.
34
SW 1/4
SE 1/4
SE 1/4