	# 68		R WELL RECORD Form			
LOCATION OF WAT		Fraction	CE CE	Section Number	Township Number	Range Number
	Trom poorest to		SE 1/4 SE 1/4		т / <i>D</i> s	R 25 DW
tance and direction	from nearest to	•	ddress of well if located withi	•		
			IS CITY, KS			
WATER WELL OW		PHILLIPS	PETROLEUM	1 co,		
R#, St. Address, Box	(# :	BARTLE	SVILLE, OKL	AHOMA	Board of Agriculture,	Division of Water Resource
ty, State, ZIP Code	:	 			Application Number:	
LOCATE WELL'S LOCATE WELL'S LOCATE WELL'S LOCATE WELL'S LOCATE AN "X" IN SECTION	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	ft. ELEVAT	ΓΙΟΝ:	
AN A IN SECTION	J BOX.	Depth(s) Grounds	water Encountered 1	16 · 0 ft. 2		3
! .	1	WELL'S STATIC	WATER LEVEL	ft. below land surf	ace measured on mo/day/y	r
NW	- NF	Pump	test data: Well water was	ft. af	ter hours p	umping gpn
	1,1,1		gpm: _Well water was			
i		Bore Hole Diame	oter	Ζ. <i>Ο. Ο</i> ft., a	ınd	n. to
w	;	WELL WATER T	O BE USED AS: 5 Put	olic water supply	8 Air conditioning 11	Injection well
<u> </u>		1 Domestic	3 Feedlot 6 Oil	field water supply	9 Dewatering 12	Other (Specify below)
5W	SE	2 Irrigation	4 Industrial 7 Law	n and garden only 7	0 Observation well	
i - i -	İY	Was a chemical/b	pacteriological sample submit	ted to Department? Ye	sX; If yes	s, mo/day/yr sample was su
<u> </u>		mitted		Wat	er Well Disinfected? Yes	No X
TYPE OF BLANK	CASING USED:		5 Wrought iron 8	Concrete tile	CASING JOINTS: Glue	ed Clamped
1 Steel	3 RMP (S	SR)	•	Other (specify below	v) Wel	ded
2 PVC	4 ABS					eaded
	Z	.in. to	, D ft., Dia			. in. to
asing height above la			.in., weight			
YPE OF SCREEN O			, •	(7 PVC)	10 Asbestos-cem	
1 Steel	3 Stainles	s steel	5 Fiberglass	8 RMP (SR)		······································
2 Brass	4 Galvani	zed steel	6 Concrete tile	9 ABS	12 None used (o	•
CREEN OR PERFO			5 Gauzed wra		8 Saw cut	11 None (open hole)
1 Continuous slo	t 3 N	Mill slot	6 Wire wrappe	• •	9 Drilled holes	(
2 Louvered shut		Key punched	7 Torch cut		10 Other (specify)	
		,			(epeemy)	
CREEN-PERFORAT	ED INTERVALS:	From	5.0 ft to	ZOO ft From	n ft	to fi
CREEN-PERFORAT	ED INTERVALS:				n ft.	
		From	ft. to	ft., From	n ft.	tofr
	ED INTERVALS: CK INTERVALS	From	ft. to	20.0 ft., From	n ft. n ft.	tofr
GRAVEL PA	CK INTERVALS	From : From From	ft. to		n	to
GRAVEL PA	CK INTERVALS	From From	ft. to	ft., From ft., From ft., From ft., From g Bentonite	n ft. n ft. n ft. Other	tofitoff
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro	CK INTERVALS 1 Neat m. 4.5 BE	From From From cement if to	ft. to	ft., From ft., From ft., From ft., From g Bentonite 4 6 A.2877 4.	n ft. n ft. Other 5 ft., From	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so	CK INTERVALS 1 Neat m. 4.5 BE ource of possible	From From cement cement tit to contamination:	ft. to ft. to ft. to ft. to 2 Cement grout 5.0 ft., From	ft., From ft., From ft., From ft., From ft., From g Bentonite 4 G A 98 T 4 10 Livest	n ft. n ft. on ft. Other ock pens 14	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank	CK INTERVALS 1 Neat m. 4.5 BE ource of possible 4 Late	From From cement fit to contamination:	ft. to ft. to ft. to 2 Cement grout From 7 Pit privy	ft., From ft., From ft., From ft., From ft., From 10 Livest 11 Fuel s	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS 1 Neat m. 4,5 BE ource of possible 4 Late 5 Ces	From From cement fit to contamination: ral lines s pool	ft. to ft. to ft. to Cement grout From 7 Pit privy 8 Sewage lagoon	ft., From ft., From ft., From 3 Bentonite 4 5 A 26 T 4 10 Livest 11 Fuel s 12 Fertilit	m	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	CK INTERVALS 1 Neat m. 4,5 BE ource of possible 4 Late 5 Ces	From From cement fit to contamination: ral lines s pool	ft. to ft. to ft. to 2 Cement grout From 7 Pit privy	ft., From ft., From ft., From ft., From 3 Bentonite 10 Livest 11 Fuel s 12 Fertilii 13 Insect	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well?	CK INTERVALS 1 Neat m. 4,5 BE ource of possible 4 Late 5 Ces	From From cement if to e contamination: oral lines s pool page pit	ft. to ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From ft., From ft., From ft., From general declaration ft., From ft., F	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From From cement if to e contamination: oral lines s pool page pit	ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From ft., From ft., From ft., From ft., From 10 Livest 11 Fuel s 12 Fertilii 13 Insect How mar	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From ft., From ft., From ft., From ft., From 10 Livest 11 Fuel s 12 Fertilii 13 Insect How mar	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Frout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7.0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL frout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7.0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irection from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	tofi toff toff ft. toff Abandoned water well Oil well/Gas well Other (specify below) ZEFINELY
GRAVEL PA GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rirection from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	tof tof tof tof ft. tof Abandoned water well Oil well/Gas well Other (specify below) ZEFINELY
GRAVEL PA GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew rirection from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	tofi toff toff ft. toff Abandoned water well Oil well/Gas well Other (specify below) ZEFINELY
GRAVEL PA GROUT MATERIAL frout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7.0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7,0	CK INTERVALS 1 Neat m. 4.5 BE Durce of possible 4 Late 5 Cess ver lines 6 See	From	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FRAND, MOLS T	ft., From 70. O. ft., From ft., From 10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar ROM TO	n	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 7.0 20.0	CK INTERVALS 1 Neat m. 4.5 BE purce of possible 4 Late 5 Cest ver lines 6 See	From. From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY + L	ft. to ft. to ft. to Cement grout Fig. 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FSAND, MOLST BROWN SAND	10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar	n ft. n ft. Other ft. Sock pens 14 storage 15 icide storage 16 icide storage 15 icide storage 15 icide storage 16 icide storage 15 icide storage 16 icide stora	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 7.0 20.0 CONTRACTOR'S	OR LANDOWNE	From. From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY + L	ft. to ft. to ft. to Cement grout Fig. 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FSAND, MOLST BROWN SAND	10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar	n ft. n ft. Other ft. Sock pens 14 storage 15 icide storage 16 icide storage 15 icide storage 15 icide storage 16 icide storage 15 icide storage 16 icide stora	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro What is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 0 7.0 Z.0.0 CONTRACTOR'S completed on (mo/day)	OR LANDOWNE	From. From cement ft. to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY + L	ft. to ft. to ft. to Cement grout Fig. 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FSAND, MOLST BROWN SAND	10 Livest 11 Fuel s 12 Fertilit 13 Insect How mar	n ft. n ft. Other ft. Sock pens 14 storage 15 icide storage 16 icide storage 15 icide storage 15 icide storage 16 icide storage 15 icide storage 16 icide stora	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7.0 Z.0.0 CONTRACTOR'S completed on (mo/day Vater Well Contractor	OR LANDOWNE	From. From cement fit to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY +2 ER'S CERTIFICATI	ft. to S.O. ft. to ft. to Cement grout F.O. ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG FSAND, MOLST BROWN SAND ION: This water well was (C) 2.5 -8 3 This Water Well Re	ROM TO constructed (2) reconstructed (3) reconstructed (4) reconstructed (4) reconstructed (5) reconstructed (6) reconstructed (6) reconstructed (7) reconstructed (7) reconstructed (7) reconstructed (7) reconstructed (8) recons	n ft. n ft. Other Str., From cock pens 14 storage 15 zer storage 16 ticide storage ny feet? LITHOLO Interpolation of the best of my keep on the best of m	to
GRAVEL PA GROUT MATERIAL Grout Intervals: Fro Vhat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Direction from well? FROM TO 7.0 Z.0.0 CONTRACTOR'S completed on (mo/day Vater Well Contractor Inder the business na	OR LANDOWNE	From. From cement fit to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY + L ER'S CERTIFICATI 438	ft. to S.O. ft. to ft. to Cement grout F.D ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG SAND, MOLS T BROWN SAND ON: This water well was (5) Z.5 -8 3 This Water Well Re TESTING LAB	ROM TO Constructed (2) recovered was completed (800 AT OR) (signar	n ft. n ft. Other St., From cock pens 14 storage 15 zer storage 16 ticide storage ny feet? LITHOLO Interpretation of the best of my known (mo/day/yr) ture)	to
GRAVEL PA GROUT MATERIAL irout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew Prection from well? FROM TO 7.0 Z.0.0 CONTRACTOR'S completed on (mo/day) //ater Well Contractor nder the business na NSTRUCTIONS: Use	OR LANDOWNE	From. From cement fit to contamination: ral lines s pool page pit LITHOLOGIC SILTY GREY + L ER'S CERTIFICATI A 38 AS CITY I point pen, PLEAS	ft. to ft. to Cement grout Fig. 6 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG SAND MOLS BROWN SAND ON: This water well was (6) Z 5 -8 3 This Water Well Re TESTING LAD EPRESS FIRMLY and PRI	ROM TO Constructed (2) recovered was completed (8) AT Provisional Property (1) relationship (1) relationship (1) relationship (1) recovered was completed (8) AT Provisional Property (1) relationship (1) relati	n ft. n ft. Other St., From cock pens 14 storage 15 zer storage 16 ticide storage ny feet? LITHOLO LITHOLO In planks, underlike or circle	to ft. to
GRAVEL PA GROUT MATERIAL rout Intervals: Fro /hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew irrection from well? FROM TO 7.0 Z.0.0 CONTRACTOR'S completed on (mo/day //ater Well Contractor inder the business na NSTRUCTIONS: Use	OR LANDOWNE	From. From Cement Cement If to a contamination: From contamination:	ft. to S.O. ft. to ft. to Cement grout F.D ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG SAND, MOLS T BROWN SAND ON: This water well was (5) Z.5 -8 3 This Water Well Re TESTING LAB	ROM TO Constructed (2) recovered was completed (8) AT Provisional Property (1) relationship (1) relationship (1) relationship (1) recovered was completed (8) AT Provisional Property (1) relationship (1) relati	n ft. n ft. Other St., From cock pens 14 storage 15 zer storage 16 ticide storage ny feet? LITHOLO LITHOLO In planks, underlike or circle	to ft. to