County: WYANDOTTE NE 1/4 SE 1/4 SW 1/4 34 T /O S R Z Distance and direction from nearest town or city street address of well if located within city? WATER WELL OWNER: PHILLIPS PETROLEUM CD. RR#, St. Address, Box #: BALTLES VILLE, OKLAHOMA 74004 Application Number:	e Number
WATER WELL OWNER: PHILLIPS PETROLEUM CO. RR#, St. Address, Box #: RAPTLE S VILLE. OKLAHOMA 74004 Board of Agriculture, Division of W	5 EDN
WATER WELL OWNER: PHILLIPS PETROLEUM CO. RR#, St. Address, Box #: BAITLE S VILLE. OKLAHOMA 74004 Board of Agriculture, Division of W	
RR#, St. Address, Box # : BAITLES VILLE, OKLAHOMA 74004 Board of Agriculture, Division of W	
BARTLES VILLE, OKLAHOMA 74004 Board of Agriculture, Division of VI	Votor Bassurass
Application Number	valer nesources
LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 25.0 ft. ELEVATION: AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. 18.0 ft. 2. ft. 3. ft. 3.	
WELL'S STATIC WATER LEVEL	
Pump test data: Well water was	
Bore Hole Diameter	
W I WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Spec	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr s	
	$\sim X$
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Cla	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass	
Blank casing diameter	
Casing height above land surface	
TYPE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
\cdot	(open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From	
From	
GRAVEL PACK INTERVALS: From	
From ft. to ft., From ft. to	ft.
GROUT MATERIAL: 1 Neat cement 2 Cement grout 4 Other 4 Other	
Grout Intervals: From 4.5 BENTOWITE 5.0 ft., From 0 67001 4.5 ft., From ft. to	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned w	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? How many feet? 75' TANIC	>
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
0 16.0 GREY SILTY SAND 02	
O	ediction and was
O /U.O GREY SILTY SAND OD //U.O Z5,0 GREY SANO OS //U.	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, or (3) plugged under my juris completed on (mo/day/year)	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed. (2) reconstructed, or (3) plugged under my juris completed on (mo/day/year)	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, or (3) plugged under my juris completed on (mo/day/year) 1-24-8 3 and this record is proje to the best of my knowledge an	nd belief. Kansas