.,			WELL RECORD	Form WWC-5					
LOCATION OF W	ATER WELL:	Fraction			tion Number	Township Nu	mber	Range Nu	
County: Wyan			SE ¼ S		34	т 10	S	R 25	EY¥
		wn or city street add							•
· · · · · · · · · · · · · · · · · · ·		ficway, Kar		Ransas					
WATER WELL C	WNER: Phi	llips Pipel	ine						
RR#, St. Address, E	Box #: P.	O. Box 1305	5			Board of Ag	griculture, C	Division of Water	Resources
City, State, ZIP Cod	e : Kan	sas City, K	Kansas 661	17		Annlication	Number		
LOCATE WELL'S	LOCATION WITH	DEPTH OF CO	MPI ETED WELL	48'2"	# ELEVA	TION:			
AN "X" IN SECT	ON BOX:	Depth(s) Groundwa							
	\ \ \ \ \								
† 1 i	1 : 1	WELL'S STATIC W							
NW -	NE		est data: Well wa						
1 . 1		Est. Yield							
* w	┸	Bore Hole Diamete		o482''	ft., ε	ınd	in.	to	. .
ž " !	1 1	WELL WATER TO	BE USED AS:	5 Public wate	r supply	8 Air conditioning	11	Injection well	
T		1 Domestic	3 Feedlot	6 Oil field wat	ter supply	9 Dewatering	12 (Other (Specify b	elow)
3w -	- SE	2 Irrigation	4 ndustrial	7 Lawn and g	arden only 1	0 Observation well	ı		
	lix	Was a chemical/bac	cteriological sample	, -					
		mitted				er Well Disinfected			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
TYPE OF BLANK	CASING USED:		Wrought iron	8 Coper		CASING JOIL			
(1)Steel	3 RMP (S		-						
	•	•	Asbestos-Cemen		(specify below	•		∍d	
2 PVC	4 ABS	181911	/ Fiberglass					ded	
Blank casing diamet	er	in. to .÷♀ ~	ft., Dia						
		.2.•.4in	., weight		lbs./f	t. Wall thickness o	r gauge No)	
TYPE OF SCREEN				7 PV	С	10 Asbe	stos-ceme	nt	
1 Steel	(3)Stainles	ss steel 5	Fiberglass	8 RM	IP (SR)	11 Othe	r (specify)		
2 Brass	4 Galvani	ized steel 6	Concrete tile	9 AB			used (op	en hole)	
SCREEN OR PERF	ORATION OPENII	NGS ARE:	5 Gau	zed wrapped		8 Saw cut	• •	11 None (oper	n hole)
(1)Continuous	slot 3 M	Mill slot		e wrapped		9 Drilled holes		, , , , , , , , , , , , , , , , , , , ,	,
2 Louvered sh				• •					
SCREEN-PERFORA		. Emm 181	7 Tord	48'2'	1 4 F	- 10 Other (specify			
SUNEEN-FERFUR	VIED INTERVALS								
		From	ft. to	40101	ft., From	n	ft. to	D <i>.</i>	
GRAVEL F	PACK INTERVALS	From				n			
		From	ft. to		ft., Fron	n	ft. to	0	ft.
		From	ft. to		ft., Fron	n	ft. to	0	ft.
-		From	ft. to		ft., Fron	n	ft. to	0	ft.
GROUT MATERI Grout Intervals: F	AL: 1)Neat	From 2	ft. to		ft., From	n	ft. to	0	ft.
GROUT MATERI Grout Intervals: F	AL: 1 Neat from 48. 2 source of possible	From 2	Cement grout ft., From		ft., From	n Other	ft. to	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank	AL: 1 Neat rom 48. 2 source of possible 4 Late	From cement 2tt. to 20 e contamination: eral lines	ft. to Cement grout ft., From 7 Pit privy	3 Bento 20 ft.	ft., From	n Other	ft. to	t ft. to bandoned water	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines	AL: 1 Neat rom 48. 2 source of possible 4 Late 5 Ces	From cement 2 .ft. to 20 e contamination: eral lines es pool	ft. to Cement grout ft., From	3 Bento 20 ft.	tt., From the first state of the	n Other ft., From ock pens storage zer storage	ft. to	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	AL: 1 Neat from 48. 2 source of possible 4 Late 5 Ces ewer lines 6 See	From cement 2 .ft. to 20 e contamination: eral lines es pool	ft. to Cement grout ft., From 7 Pit privy	3 Bento 20 ft.	ft., From the ft., S	Other	14 Al 15 O 16 O	t ft. to bandoned water	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from 48. 2 source of possible 4 Late 5 Ces ewer lines 6 See	From cement 2 .ft. to 20 e contamination: eral lines es pool epage pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s	AL: 1 Neat from 48. 2 source of possible 4 Late 5 Ces ewer lines 6 See	From cement 2 .ft. to 20 e contamination: eral lines es pool	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 20 ft.	ft., From the ft., S	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from 48. 2 source of possible 4 Late 5 Ces ewer lines 6 See	From cement 2 .ft. to 20 e contamination: eral lines es pool epage pit	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from 48. 2 source of possible 4 Late 5 Ces ewer lines 6 See	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20 e contamination: eral lines as pool epage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft. ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well?	AL: 1 Neat from	From cement 2ft. to20e contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento 2.0 ft.	ft., From the first file of the file of th	Other	14 Al 15 O 16 O	o	ft. ft.
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	AL: 1 Neat from	From cement 2 ft. to 20 contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard DG	3 Bento 20 ft.	ft., From the first file of the file of th	n Other ft., From ock pens storage zer storage ticide storage ny feet? 15-2	ft. to 14 Al 15 O 16 O 16 O 15 LITHOLOG	ther (specify bel	ft ft. well
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	AL: 1 Neat from	From cement 2 ft. to 20 contamination: eral lines as pool apage pit LITHOLOGIC LO	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard DG	3 Bento 20 ft.	ft., From the first file of the file of th	n Other ft., From ock pens storage zer storage ticide storage ny feet? 15-2	ft. to 14 Al 15 O 16 O 16 O 15 LITHOLOG	ther (specify bel	ft ft. well
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	AL: 1) Neat from	From cement 2 ft. to 20 contamination: practines s pool page pit LITHOLOGIC LO ATLABLE ER'S CERTIFICATION / 89	ft. to Cement grout ft., From 6 7 Pit privy 8 Sewage la 9 Feedyard OG N: This water well	3 Bento 20 ft. Igoon FROM was (1) constru	ft., Fron nite 4 to	n Other	ft. to	ther (specify bel	ft ft. well
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO	AL: 1 Neat from	From cement 2 ft. to 20 e contamination: eral lines es pool epage pit LITHOLOGIC LO ATLABLE ER'S CERTIFICATION 789 102	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard OG N: This water well This Water	3 Bento 20 ft. Igoon FROM was (1) constru	ft., From the first file of the file of th	n Other	Iugged uncest of ptylen	ther (specify bel	ft ft. well
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO T CONTRACTOR'S completed on (mo/d Water Well Contract under the business	AL: 1 Neat from	From cement 2 ft. to 20 e contamination: eral lines is pool epage pit LITHOLOGIC LO ATLABLE ER'S CERTIFICATION 789 102 ne—Western	ft. to Cement grout ft., From ft.,	3 Bento 20 ft. Igoon FROM was (1) constru Well Record was In c.	ft., Frontite 4 to3 10 Livest 11 Fuel s 12 Fertilii 13 Insect How man TO cted, (2) reco	n Other	Iugged uncest of pty kin	ther my jurisdictic owledge and bel	ftft. well low)
GROUT MATERI Grout Intervals: F What is the nearest 1 Septic tank 2 Sewer lines 3 Watertight s Direction from well? FROM TO TO TO TO TO TO Water Well Contract under the business INSTRUCTIONS: Us	AL: 1 Neat from	From cement 2 ft. to 20 e contamination: eral lines es pool epage pit LITHOLOGIC LO ATLABLE ER'S CERTIFICATION 789 102	ft. to Cement grout ft., From ft., F	3 Bento 20 ft. Igoon FROM was (1) constru Well Record wa In C .	ft., Frontite 4 to. 3 to. 10 Livest 11 Fuel s 12 Fertilii 13 Insect How man TO cted, (2) reco	nstructed, o (3) profits true to the bean (mo/day/y) of the or ordice the correct.	Iugged unk	ter my jurisdictic owledge and bel	ftft. well low)