			WATE	R WELL RECORD	Form WWC-5	KSA 8	2a-1212		
		TER WELL:	Fraction		Sec	tion Number	1		Range Number
)yand					34	T 10	S	R 25 (B)W
Distance a	ind direction	from nearest tow	n or city street a	iddress of well if located Kansas C	ity Ks.	LINE	(prisbling)		
2 WATER	R WELL ON	NER: Masse	LI Fergue	91					
 RR#, St. /	Address, Bo	×# : Tim H	attes"					Agriculture,	Division of Water Resources
	, ZIP Code	2200	DeKoven	Nue, Racine, Wi 53403 Application Number:					
LOCATE	E WELL'S L	OCATION WITH	4 DEPTH OF C	COMPLETED WELL.	20'	ft. ELE\	ATION:		
AN "X"	IN SECTIO	N BOX:	Depth(s) Ground	dwater Encountered 1.	131	ft	. 2	ft. 3	
ī [1	1	WELL'S STATIC	WATER LEVEL !!	4.'9." ft. t	elow land s	surface measured of	on mo/day/yr	7:11:94
1 1	1	1	Pum	p test data: Well wate	rwas	ft.	after	hours pu	mping gpm
	- NW	NE							mping gpm
<u>•</u> L	i	•	Bore Hole Diam	eter 1/5 in. to	30		., and	in	. to
* w	ı	, ,	WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning	ng 11	Injection well
7 L	S/W/		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)
	344	%	2 Irrigation						
↓ L	ı		Was a chemical	bacteriological sample s	submitted to D				, mo/day/yr sample was sub
<u> </u>		S	mitted			\	Water Well Disinfed		N
5 TYPE (OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING J		d , Clamped
1 St		3 RMP (SF	₹)	6 Asbestos-Cement	9 Other	(specify be	low)		led
2 PV		4 ABS	101	7 Fiberglass					aded 🗴
		2375							in. to ft.
	ū	and surface FW	. ,	J _{in., weight}			s./ft. Wall thicknes	s or gauge N	6. 20K-12
		R PERFORATION			7 PV				ent Sch4D
1 St		3 Stainless		5 Fiberglass		ИР (SR)			
2 Br		4 Galvaniz		6 Concrete tile	9 AE	BS		one used (or	,
		RATION OPENIN			ed wrapped		8 Saw cut	_	11 None (open hole)
	ontinuous sk		ill slot		wrapped		9 Drilled hole		
	ouvered shut	ter 4 Ni ED INTERVALS:	ey punched From 2	7 Torch		# 5	` '	• •	
SCHEEN-	FERFORA	ED INTERVALS.	From						toft.
,	GRAVEL PA	CK INTERVALS:	_						toft
					-				
6 GROU	T MATERIA	L: 1 Neat of	cement ,	(2)Cement grout	(3)Bent	onite_/	4 Other		to ft
Grout Inte	rvals: Fro	om81.	ft. to .4	ft., From	ft.	to. 2	ft., From	.	ft. toft
What is th	ne nearest s	ource of possible	contamination:			10 Liv	estock pens	14 A	bandoned water well
1 Se	eptic tank	4 Later	al lines	7 Pit privy		11 Fu	el storage	15 (Dil well/Gas well
2 Se	ewer lines	5 Cess	pool	8 Sewage lag	oon	12 Fe	rtilizer storage		Other (specify below)
3 W	atertight sev	wer lines 6 Seep	age pit	9 Feedyard		13 Ins	secticide storage		
	from well?	East					many feet? 10'		
FROM	TO	4- 414	LITHOLOGIC	LOG	FROM	то		PLUGGING	INTERVALS
0.	90	Concrete			,	<u> </u>			
,90	4.0	mea land	wanting	an minasony	<i>a</i>	 			
110	an	a Olive Hr	ien sitty	Moching					
4.0	8.0	or way a	ittly clay,	friable, moust	4	J			
8.0	20.0			iffen Hay cl					
	 	Soft wet	at war	37; very tine	grained	.			
	+	were rou	sulce sa	nd, no doc		 			4.1-2-14.177
						+			
	·								
	1					1			
	T					1			
						T			
7 CONT	BACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water well w	(as (1) constr	ucted (2)	econstructed or /3) nlugged ur	der my jurisdiction and wa
completed	inno (mo/da	y/year)	94		as (1) constr				nowledge and belief. Kansa
Water We	ell Contracto	r's License No.	539				ed on (mo/day/yr)	A	
under the	business n	ame of	אראגונוני		·M		gnature) Jame	~ ·	
					ease III in hlanks				e copies to Kansas Department
				620-0001. Telephone: 913-296-					