| USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY,  |                 |              |            | ЩŢ   |  |            |
|---|-----------------|--------------|------------|--|--|------------|
| PRINT CLEARLY.                                  | WATER WELL RECO |              |            | T R  | EW sec 1/4 1/4 1/4 No.  Kansas State Dept. Of Health |            |
|   | KSA 82a-1201-12 | 15           | 1115       | 1/1  | (Water Well Contractors)<br>Forbes-Bldg, 740         |            |
| County Toweship name                            | Fraction        | N.A          | Nr.        | 7  | Topeka, Kansas 66620                                 |            |
| 1 Location of well:                             | ALL YEAR        | 2            | number     | Town number  | Range number   |            |
| stance and direction from nearest fown or city: | 111)            | ner of well: | 0.0.       | neweil   |  |            |
| Street address of well location if in city:     | 7 W 1 1 A       | dress:       |            | lield_   |  |            |
| Locate with "X" in section below: Sketc         | h map:          | U            |            | Well depth: 2/5                                    | ft. Date of completion 5/13                          | 51         |
| N   |                 |              |            | Well diameter                                      | in. 7.7  | <b>/ ¼</b> |
| )//   | 4. F-1/2        | . H          | 5          | Cable tool Actor                                   | = = :  |            |
|   | 4y = /2         | (            | 6          |  | Public supply Industry                               |            |
|   | W/r/            |              |            | Test well .  | Air conditioning [ Commercial                        |            |
|   | V E/4           |              | X          | Casing: Material Threaded Welded                   | Height: above/balow                                  |            |
| S<br>1 Mile                                     |                 |              | 1          | Diam. 5"   | Weight bs./ft  |            |
| 2 Type and color of mo                          | terial          | From         | То         | in. to ft. de                                      |  |            |
| 1/2 21  |                 | 4            | 8          | Screen: Manufacturer                               | mel  |            |
| all sty   | 1               | 0            |            | Type   | Dia  |            |
| ton tred  | •               | 2 9          | 2          | Set between ft.                                    | and 2/5  | í          |
| tan targy t                                     | ref             | 42/          | 08         | · • • –  | No Size ronge of material                            |            |
| Brown limit                                     | me Mich         | 18 1         | 2 x 3      | Static water level:  ft. below land su             | urface Date 5/13/76                                  | ,          |
| Blue Shale                                      |                 | 124          | 13410      | Pumping level below lan                            |  |            |
| Flint Ruch                                      | /               | 341          | 36         | ft. after  |  |            |
| Buy & red of                                    | la 13           | 6 17         | 2 m        | Estimated maximum yield<br>Water sample submitted: |  | _          |
| Pert to Deel                                    | 17              | 91           | ~~         | Yes No Well head completion:                       | Date   | 0          |
| Blue stele                                      | 10              | 9 9          |            | Pitless adapter                                    | Inches above grade                                   | O          |
| David Again                                     |                 | 1            |            | <b>Wal</b> l grouted? ☐ Yes<br>Neat cement ☐ Be    | No ntonite   | (1         |
| 1 +   | 166             |              | — <u> </u> | Depth: Fromft.                                     | to <b></b> ft.                                       | 1          |
| water at  | 185             |              |            | Nearest source of possible ft. Direction           | Type VUL   | / 11       |
| hote at   | 199             |              |            | Well disinfected upon co<br>Pump:                  | ompletion? Yes No                                    | Q,         |
|   |                 |              |            | Manufacturer's name                                | HP Volts   | 9          |
|   |                 |              |            | Length of drop pipe                                | ft. capacity g.m.p.                                  |            |
|   |                 |              |            | Type: Submersible                                  | Turbine  | 4          |
| (use a second sheet if                          | needed)         |              |            | ☐ Jet<br>☐ Certrifugal                             | Reciprocating Other                                  | B          |
| 16 Remarks: elevation                           |                 |              |            | Water well contractor's o                          | ertification:  |            |
| Topography:                                     |                 |              | - 1        |  | of my knowledge and belief.                          | JE.        |
| iopography:                                     |                 |              |            | Business nampo.                                    | License No.  | ٠,١        |
| Upland  |                 |              |            | Address Signed                                     | Tapels Can   | 3)<br>た    |
| Valley  |                 |              |            | Lucion de  | oresent that   | 75         |

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5