

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

T R EW sec 1/4 1/4 1/4 No. 54

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

W2 NW 5W

1 Location of well:	County CLAY	Township name Republic	Fraction S.W. 1/4	Section number 35	Town number 10	Range number 3 E
Distance and direction from nearest town or city: 7 mi SW. Waterford			Owner of well: Don Hammetton			
Street address of well location if in city: 5 West 2 South			Address: Junction City Kans R2			
Locate with "X" in section below: N W E S 1 Mile			4 Well depth: 69 ft. Date of completion: 4/27 Well diameter: 7 1/2 in.			
5 <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary			6 Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>			
			7 Casing: Material Plastic Weight: above/below RMP Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 16 in. Diam. Weight 250 lbs./ft. 5 in. to 69 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ___ in. to ___ ft. depth			
2 Type and color of material			From	To	8 Screen: Manufacturer Pumpco 3" Dia. 10 Type RMP Dia. 1 Slot/gauze 80 Length 20' Set between 45 ft. and 65 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1/8" x 1/4"	
lot Soil			0	5	9 Static water level: 45 ft. below land surface Date 4/27	
Red clay			5	11	10 Pumping level below land surfaces: ___ ft. after ___ hrs. pumping ___ g.p.m. ___ ft. after ___ hrs. pumping ___ g.p.m. Estimated maximum yield 2.5 g.p.m. Bailory test	
yellow clay			11	16	11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ___	
Red clay			16	45	12 Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade NA	
Lime Rock			45	50	13 Well grouted? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> ___ Depth: From 16 ft. to 5 ft.	
yellow Lime Rock (Water)			50	60	14 Nearest source of possible contamination: ft. 1000 Direction ___ Type ___ Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Blue Shale			60	69	15 Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ___ Model number ___ HP ___ Volts ___ Length of drop pipe ___ ft. capacity ___ g.m.p. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
16 Remarks: elevation Ridge			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Strader Drilling Co 237 Business name License No. ___ Address Blue Rapids KS Signed Harold Strader date 4/27 Authorized representative			

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5