1 LOCATION OF WATER WELL:	Fraction		Sect	ion Number		Number	Range	Numbe <u>r</u>
County: CLOY		NE 1/4 N	岁 ¼	28	T	100	R 4	
Distance and direction from nearest town	or city street addre	ess of well if located	within city?	Fin N	iste Frild	60 %	Miles	WIST
2 WATER WELL OWNER: MARSh	A GLANDA.	V						
RR#, St. Address, Box # : 2776		•	C M		Board o	of Agriculture, D	Division of Wa	iter Resources
City, State, ZIP Code : Wake F	ild, HS	674	8%			tion Number:		
LOCATE WELL'S LOCATION WITH 4 AN "X" IN SECTION BOX:		IPLETED WELL er Encountered 1						
		ATER LEVEL 8						
		st data: Well water						
NW NE _E		. gpm: Well water						
	ore Hole Diameter	7 in. to	(47)	ft :	and	in.	to	ft.
- W	VELL WATER TO	*	Public water		8 Air condition		Injection well	
-	1 Domestic		Oil field water		9 Dewatering	=	Other (Specif	
SW SE	2 Irrigation				_	well		
	•	teriological sample su	_	•				
T	nitted	,			ter Well Disinfe		No	•
5 TYPE OF BLANK CASING USED:	5	Wrought iron	8 Concre			JOINTS: Glued	1 .) Clar	nped
1 Steel 3 RMP (SR)		Asbestos-Cement		specify below				
2 PVC 4 ABS		Fiberglass		-		Threa	ded	
Blank casing diameter 5 ir			in. to		ft., Dia		in. to	ft.
Casing height above land surface	2.′. in	weight . 5.ch 4	10	lbs./	ft. Wall thickne	ss or gauge No	o	
TYPE OF SCREEN OR PERFORATION		, 5	7 PV	7		Asbestos-ceme		
1 Steel 3 Stainless	steel 5	Fiberglass	8 RMI	P (SR)	11 (Other (specify)		
2 Brass 4 Galvanize	d steel 6	Concrete tile	9 ABS	3	12	None used (op	en hole)	
SCREEN OR PERFORATION OPENING	SARE: 25/	S Gauzed	wrapped		8 Saw cut		11 None (o	pen hole)
1 Continuous slot 3 Mill	slot	6 Wire w	rapped		9 Drilled hole	es		
2 Louvered shutter 4 Key	punched	7 Torch o	eut		10 Other (spe	ecify)		
SCREEN-PERFORATED INTERVALS:	From	20 ft. to	140	ft., From	m	ft. to	0	
	From	ft. to	_? <u>.</u>	ft., From	m	ft. to	0	
GRAVEL PACK INTERVALS:	From	2. <i>5</i> ft. to	140	ft., From	m	ft. to	0	
	From	ft. to		ft., Fron	m	ft. te	0	ft.
6 GROUT MATERIAL: 1 Neat ce	A ~-	Cement grout	3 Bentor					
Grout Intervals: From	t. toスラ	. ft., From	tt t	Ō	ft., From	1	ft. to	
What is the nearest source of possible	17			10 Lives	tock pens		bandoned wa	
1 Septic tank 4' Lateral	lines	7 Pit privy		11 Fuel	-		il well/Gas we	
2 Sewer lines 5 Cess p		8 Sewage lagoo	n		zer storage	16 O	ther (specify	pelow)
3 Watertight sewer lines 6 Seepa	ge pit	9 Feedyard			ticide storage	ж ^{. ғ.}		• • • • • • • • • • • • • • • • • • • •
Direction from well?	LITUOLOGIO LO		1 EDOM 1		ny feet? 20	PLUGGING II	NTEDVALS	
FROM TO	LITHOLOGIC LO	<u> </u>	FROM	то		1 LOGGING II	NILIVALO	
1 1 2 30	Chali							
11 37 1000	66.11		 					
33 50 Brown	CILI		t					
35 30 Drown	7 17011							
SU GO LANISI	op/							
99 011 6011aish	- 55000							
84 121 Brown	Chile	1, - 1						
12/ 1300	3016	10111						
132								
137 140 6114 3	704							
			1					
								MAN
			1				41 8 VM 17 V	
7 CONTRACTOR'S OR LANDOWNER'	C/CEDTIEICATION	. This water wall	(1) construct	ted (2) het	netructed or /	3) plugged upd	ler my juriedia	ction and was
						best of my kn		
completed on (mo/day/year) 6 /.	ú5 (This Water We					27/	77
	F. 30. 1	ins water we	ii riecolu wa:	by (signa		me 1	1	W PI
INSTRUCTIONS: Use typewriter or ball point pe	PLEASE DEED SIDE	IV and DDIAT place Disc.	o fill in bloaten			re Sale ton these	conies to Kansan	Department
of Health and Environment, Bureau of Water, T	opeka, Kansas 66620-00	01. Telephone: 913-296-554	15. Send one to	WATER WELL O	WNER and retain o	ne for your records	p.55 .5 .1a.1545 i.	- sk=a