WATER WELL RECORD	Form WWC-5	Division of Water	er Resources; App. No.		
1 LOCATION OF WATER WELL: County: CLAY	Fraction SR 1/4 SR 1/4 NW 1/4	Section Number	Township Number T /O S	Range Number R 4 DW	
Distance and direction from nearest town or	city street address of well if	Global Positioning	Systems (decimal deg		
located within city?		Latitude:	39. 2/434		
A WATER WELL OWNER AND A AND A TO A STORY		Longitude: 97.0046			
2 WATER WELL OWNER: MR. RTUC JFN SEN RR#, St. Address, Box # : 465 BFRCH		Elevation:			
		Datum:			
Data Collection Method:					
3 LOCATE WELL'S 4 DEPTH OF COM LOCATION	IPLETED WELL	It.			
WITH AN "X" IN Depth(s) Groundwate	er Encountered (1) 90	) ft (2)	- ft (3)	<b>—</b> ft	
SECTION BOX: WELL'S STATIC W					
Pump test da	Pump test data: Well water wasft. afterhours pumpinggpm				
Est. Yield (00.4gp	Est. Yield 100. 4. gpm: Well water was				
WELL WATER TO BE USED AS: 5 Public water supply  Air conditioning 11 Injection well					
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
	dustrial / Domestic (law)	n & garden) 10 Moi	nitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs					
Sample was submitted					
S Sample was submitted					
5 TYPE OF CASING USED: 5 Wrough	t Iron 8 Concrete til	e CASIN	G JOINTS: Glued>	1 Clamped	
1 Steel 3 RMP (SR) 6 Asbesto	s-Cement 9 Other (speci	fv helow)	Welded.	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded					
Blank casing diameter					
Casing height above land surface24	in., Weight	lbs./ft. Wall thi	ckness or guage No. c	SPLZ6	
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass PVO 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 61, to 61,					
From					
GRAVEL PACK INTERVALS: From					
Troin 25 It. 10					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Centonite 4 Other					
Grout Intervals: From3 ft. to .25 ft., From60 ft. to80 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines				16 Other (specify	
2 Sewer lines 5 Cess pool		0	bandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit Direction from well?	•	llizer storage 15 Oi any feet?	l well/gas well		
FROM TO LITHOLOGI			PLUGGING INT	FRVALS	
0 92 Sitt to Clayey			1200011101111		
92 102 SAND, MED TO CES	E	7			
102 103 GRAVEL					
103 106 SHALR					
			- T.F		
7 CONTRACTOR'S OR LANDOWNER'S C	FRTIFICATION: This work	er well wad Thomst	ructed (2) reconstruct	ed or (2) plugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (Doonstructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . 9.1.9.20 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 760 This Water Well Record was completed on (mo/day/year) 12/10/00					
·	DRILLEM TALL	by (signature)	Julion		
INSTRUCTIONS: Use typewriter or ball point pen. PLI	EASE PRESS FIRMLY and PRINT cl	early. Please fill in blank	s, underline or circle the co	orrect answers. Send top	
three copies to Kansas Department of Health and Environm					

http://www.kdheks.gov/waterwell/index.html.