


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County GEARY	Fraction NE 1/4 SE 1/4 SE 1/4	Section number 32	Township number T 10 S R 5	Range number 5
2. Distance and direction from nearest town or city:		1 East 2 S		3. Owner of well: DELOY BUDDEN		
Street address of well location if in city: MILFORD				R.R. or street: RR #1		
				City, state, zip code: MILFORD, KANS 66514		
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. 18 in. Completion date 3/30/74		
				Well depth 160 ft.		
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug		
				<input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry		
				<input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock		
				<input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
				9. Casing: Material PVC Height Above or below		
				Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 18 in.		
				RMP <input type="checkbox"/> PVC <input checked="" type="checkbox"/> Weight 3 lbs./ft.		
				Dia. 5 in. to 160 ft. depth Wall Thickness: inches or		
				Dia. 5 in. to 160 ft. depth gage No. 214		
5. Type and color of material				From	To	10. Screen: Manufacturer's name PUMPLED
TOPSOIL				0	2	Type PVC Dia. 5"
SAND				2	6	Slot gauze 1/16 Length 20'
SANDY BROWN CLAY				6	10	Set between 140 ft. and 160 ft.
BROWN CLAY				10	24	Gravel pack? Yes Size range of material: 4x4
RED CLAY				24	32	11. Static water level: 100 ft. below land surface Date 3/30/74
RED SHALE				32	57	12. Pumping level below land surfaces:
LIMESTONE				57	69	100 ft. after 10 hrs. pumping 25 g.p.m.
GRAY CLAY				69	75	Estimated maximum yield 25 g.p.m.
LIMESTONE				75	82	13. Water sample submitted: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date 3/30/74
BLUE SHALE				82	92	14. Well head completion: Pitless adapter <input checked="" type="checkbox"/> 18 inches above grade
LIMESTONE				92	121	15. Well grouted? Yes
BLUE SHALE				121	140	With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete
LIMESTONE				140	160	Depth: From 0 ft. to 10 ft.
STOP				160		16. Nearest source of possible contamination: 125 Direction NORTH Type SEPTIC
						Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
						17. Pump: <input checked="" type="checkbox"/> Not installed
						Manufacturer's name _____
						Model number _____ HP _____ Volts _____
						Length of drop pipe _____ ft. capacity _____ g.p.m.
						Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine
						<input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating
						<input type="checkbox"/> Centrifugal <input type="checkbox"/> Other
18. Elevation:		19. Remarks:		20. Water well contractor's certification:		
Topography: <input checked="" type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley				This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
				Business name Geo Cox + Sons Inc License No. 258		
				Address CHIFTON, KANSAS		
				Signed Raymond Date 3/30/74		
				Authorized representative		

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5