County: Geary Fraction SWSWSu. Sec. 33 T 10 S R 5 (E)	W
CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5) (to rectify lacking or incorrect information)	
Owner: U, S. At my	
Location was listed as: Location changed to:	
Section-Township-Range:	
Fraction (¼ ¼ ¼):	
Other changes: Initial statements: Riley County	
Changed to: Geary County	
Comments:	
Verification method: Legal description, position on plat map, and  mapping tool on KGS website.  initials: PR date: 10/3/20/  Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  to: Konsas Deut of Health & Environment Russey of Water 1000 SW Jackson Suite 420 Topeka KS 66612-1367.	2 2
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.	

		7,7731,6211	WELL RECORD FO	orm WWC-5			<del></del>	<u> </u>	<del></del>
1 LOCATION OF Y	/	Fraction	SW 1/4 SW		tion Number	,	Company of the Compan	Range Number	
Distance and direct	ion from nearest town	SW 1/4 c	dress of well if located		<i>5</i> 3_	J T I	() s	LR 5 EN	٧.
Distance and direc	lory from flearest low	TO City Street act	0601				M	PU	
2 WATER WELL	OWNER: 4. 5. /	Anny		<i></i>	<del>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </del>		<u> </u>	<u> </u>	···
RR#, St. Address,	Box # DEH	J				Board o	f Agriculture, [	Division of Water Resou	irce
City, State, ZIP Co	de 7t Ri	ley Ks	66442				ion Number:		
I LOCATE WELL	S LOCATION WITH A	DEPTH OF CO	MPLETED WELL	5.7	. ft. ELEV	ATION:			
→ AN "X" IN SEC	TION BOX:	교 Depth(s) Groundw	ater Encountered	و ا مینان میروسون	ft.	2	ft. 3		.ft.
7 !		WELL'S STATIC \	WATER LEVEL . 99	1 ft. b	elow land su	rface measured	on mo/day/yr		
NW -	NE	•	test data: Well water				· · · · · · · · · · · · · · · · · · ·	7	
			gpm: Well water						
w   1			er lo in. to		•				.ft
<b>2</b>		WELL WATER TO		Public wate		8 Air condition		Injection well	
SW -	SE	1 Domestic						Other (Specify below)	
		2 Irrigation	4 Industrial 7 acteriological sample su			NAME OF THE PARTY			
1 1X .	and the state of t	mitted	acteriological sample su	Diffitted to De		ater Well Disinfe			3u
5 TYPE OF BLAN	IK CASING USED:		5 Wrought iron	8 Concre				d Clamped	
1 Steel	3 RMP (SF		6 Asbestos-Cement	9 Other	(specify belo			ed	
2 PVC	4 ABS	•	7 Fiberglass					aded	
Blank casing diam	eter <b></b>	in. to	ft., Dia	in. to		ft., Dia		in. to	. ft
Casing height above	ve land surface	.30	n., weight		lbs	./ft. Wall thicknes	ss or gauge N	o	
TYPE OF SCREET	N OR PERFORATION	MATERIAL:		VPV	-		Asbestos-ceme		
1 Steel	3 Stainless		5 Fiberglass		IP (SR)				٠.
2 Brass	4 Galvanize		6 Concrete tile	9 AB	S		None used (op		
	FORATION OPENING	as are:		l wrapped		8 Saw cut		11 None (open hole)	
1 Continuous 2 Louvered s	· · · · · · · · · · · · · · · · · · ·	Call Control	6 Wire w	• • • •		9 Drilled hole			
	RATED INTERVALS:		12 ft. to	A Marketon	. ft En				
001122111 2111 01			visit in the tour						
ODÁVICI									
GRAVEL	PACK INTERVALS:	From	4.0 ft. to	5.7.	ft., Fr	om	ft. t	0	f
GRAVEL	PACK INTERVALS:	From	4.0 ft. to ft. to	5.1.	ft., Fr	om	ft. t	0	f
6 GROUT MATE	RIAL: 1 Neat c	From	ft. to ft. to	3 Bento	ft., Fr ft., Fr onite	om om 1 Other	ft ft ft ft t		f f
6 GROUT MATER	RIAL: 1 Neat o	From	#. ft. to ft. to	3 Bento	ft., Fr ft., Fr onite 4	om om 4 Other ft., From	ft. 1	ft. to	f f
6 GROUT MATER Grout Intervals: What is the neares	From	From	ft. to ft. to  Cement grout ft., From	3 Bento	ft., Fr ft., Fr onite to.	om  4 Other ft., Fromestock pens	ft. 1	ft. tobandoned water well	f f
6 GROUT MATER Grout Intervals: What is the neares 1 Septic tank	From 1 Neat c	From	ft. to ft. to  Cement grout ft., From  7 Pit privy	3 Bento	to	om  Other  ft., Fromestock pens I storage	14 A	ft. tobandoned water well	f f f
6 GROUT MATER Grout Intervals: What is the neare: 1 Septic tank 2 Sewer line	From 1 Neat control of possible 4 Laters 5 Cess	From	ft. to  ft. to  Cement grout  ft., From  Pit privy  Sewage lagoo	3 Bento	to. 11 Fue	om  the Other for the Other fo	14 A	ft. tobandoned water well	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight	From 1 Neat of From 1 Neat of St. St. Sewer lines 6 Seep.	From	ft. to ft. to  Cement grout ft., From  7 Pit privy	3 Bento	to	om  4 Other ft., From estock pens I storage ecticide storage	14 A	ft. tobandoned water well	f f f
6 GROUT MATER Grout Intervals: What is the neare: 1 Septic tank 2 Sewer line	From	From	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lagor Feedyard	3 Bento	to	om  the Other for the Other fo	14 A	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From 1 Neat of From 1 Neat of St. St. Sewer lines 6 Seep.	From 2 From tement 2 ft. to	ft. to ft. to ft. to Cement grout ft., From Pit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neares 1 Septic tank 2 Sewer line 3 Watertight Direction from wel	From	From	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento	to. 12 Ferri	om  4 Other ft., From estock pens I storage ecticide storage	14 A 15 C 16 C	tt. to bandoned water well well/Gas well ther (specify below) PACICAREA	f f f
GROUT MATER Grout Intervals: What is the neare: 1 Septic tanl 2 Sewer line 3 Watertight Direction from wel FROM TO	RIAL: 1 Neat of From	From From From From Coment 2  ft. to Ch Contamination: al lines pool age pit  LITHOLOGIC I	ft. to ft. to ft. to  Cement grout ft., From  7 Pit privy 8 Sewage lagod 9 Feedyard  OG FEEDYARE	3 Bento ft.	ft., Fr	om  1 Other  ft., From estock pens I storage esticide storage any feet?	14 A 15 C 16 C 16 C	to to	f f
GROUT MATER Grout Intervals: What is the neare: 1 Septic tanl 2 Sewer line 3 Watertight Direction from wel FROM TO	RIAL: 1 Neat of From	From From From From Coment  ft. to	ft. to ft. to ft. to ft. to Cement grout ft., From From Fit privy Sewage lagor Feedyard	3 Bento ft.	ft., Fr	om  1 Other  ft., From estock pens I storage esticide storage any feet?	14 A 15 C 16 C 16 C	to to	f f
GROUT MATER Grout Intervals: What is the neare: 1 Septic tanl 2 Sewer line 3 Watertight Direction from wel FROM TO	RIAL: 1 Neat of From. St source of possible 4 Laters 5 Cess sewer lines 6 Seep 1?	From From From From Coment  ft to Contamination: al lines pool age pit  LITHOLOGIC I	ft. to ft. to ft. to continue to the feet of the feet	3 Bento ft.  The second	to	om	14 A 15 C 16 C 16 C 18 M PLUGGING I	to to	
GROUT MATER Grout Intervals: What is the neares 1 Septic tanl 2 Sewer line 3 Watertight Direction from wel FROM TO	RIAL: 1 Neat of From	From From From From From From From From	ft. to ft. to ft. to continue to the feet of the feet	3 Bento ft.  The second	to	om  1 Other  1 Other  1 Storage  I storage	14 A 15 C 16 C 16 C 18 PLUGGING I	to	
GROUT MATER Grout Intervals: What is the neare: 1 Septic tank 2 Sewer line 3 Watertight Direction from wel FROM TO CONTRACTOR completed on (mo Water Well Contra under the busines	RIAL: 1 Neat of From	From From From Contamination: al lines pool age pit  LITHOLOGIC I	ft. to ft. to ft. to continue to the feet of the feet	3 Bento ft.  The second was a s	to	om	PLUGGING I	der my jurisdiction and	Wansa