	WAT	ER WELL RECORD F	orm WWC-5	KSA 82a-121	2		
LOCATION OF WATER V		. 1 3	Section	Number 33	Township Number	Range Number	
tance and direction from	nearest town or city street	address of well if located	within city?			Manhattan	
	<u> </u>	1 11 011				Viantari	
WATER WELL OWNER:		helk, Riley	Const	ruction			
R#, St. Address, Box # : 5020 Multa ty, State, ZIP Code Manhaltan		KS 66502			Board of Agriculture, Division of Water Resource Application Number:		
OCATE WELL'S LOCAT	у. <u>Н</u> 52 б.	COMPLETED WELL dwater Encountered 1.	<i>51.5</i>	ft. ELEVATION	_	. ft. 3	
W SW	WELL'S STATION Pun Est. Yield Bore Hole Dian WELL WATER 1 Domestic 2 Irrigation	C WATER LEVEL . / 6. Inp test data: Well water gpm: Well water neter . / / . 5 . in. to . TO BE USED AS: 5 3 Feedlot 6 4 Industrial 7	was 16 was 51, 5 Public water s Oil field water Lawn and gard	w land surface 2. ft. afterft. afterft., and upply 8 A supply 9 D den only 10 M	hou	in. to 11 Injection well 12 Other (Specify below)	
<u> </u>	Was a chemical	/bacteriological sample su	ibmitted to Depa		•	If yes, mo/day/yr sample was	
TYPE OF BLANK CASIN		5 Wrought iron	8 Concrete		Vell Disinfected? You	Glued Clamped	
	3 RMP (SR)	6 Asbestos-Cement	9 Other (sp			Welded	
1 Steel	4 ABS	7 Fiberglass	3 Other (sp	.— Delow)		Threaded	
ink casing diameter	21 4	D ft., Dia	·	· · · · · · · · · · · · · · · · · · ·			
•	1211	-1-	40in. to		ft., Dia		
sing height above land su		in., weightSCD		IDS./π. W	/all thickness or gau	•	
-	RFORATION MATERIAL:		7 PVC	,	10 Asbestos		
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP	SR)	11 Other (sp	ecify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		12 None use	ed (open hole)	
REEN OR PERFORATIO	N OPENINGS ARE:	5 Gauzeo	d wrapped	8	Saw cut	11 None (open hole)	
1 Continuous slot	(3 Mill slot)	6 Wire w	rapped	9	Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch	out alo	10	Other (specify)		
REEN-PERFORATED IN	TERVALS: From	5/:.5 ft. to	31.5	ft., From		. ft. to	
SAND	From	ft. to	20	ft., From		. ft. to	
G RAVEL PACK IN	TERVALS: From	0.1.5 ft. to	L.7	ft., From		. ft. to	
	From	ft. to		ft., From		ft. to	
GROUT MATERIAL: 2	1 Neat cement	2 Cement grout	3 Bentonite	4 Othe	er		
out Intervals: From	2.9ft. to3	ft., From 	 ft. to.		ft., From	ft. to . 	
at is the nearest source	of possible contamination:			10 Livestock	pens	14 Abandoned water well	
(1)Septic tank	4 Lateral lines	7 Pit privy		11 Fuel stora	ige	15 Oil well/Gas well	
2 Sewer lines	5 Cess pool	8 Sewage lagoo	on	12 Fertilizer		ther (specify below)	
3 Watertight sewer line		9 Feedyasd		13 Insecticide	•	Care (opening selecting	
	ist (NOT YET	installed)		How many fe	1 / 2		
ROM TO	LITHOLOGIC		FROM	TO TO		NG INTERVALS	
	F111		1			TO INTERIOR	
	ilty clay brow	110					
10 11.0 5		- 1 . 1	†				
.0 22.0	. 7	Clay	<u> </u>				
	Layey Silt						
-10 13() 1 0	2.114 201111						
0.0 40.0 0	Sand, Coars		 				
0.0 50.0	'garse Sand	and gravel					
0.0 51.5	Shale						
$1.5 \mid TD \mid t$	END of Boret	noce					
CONTRACTOR'S OR LA	NDOWNER'S CERTIFICAT	ION: This water well was	11) constructor	D(2) reconstru	icted or (3) physics	d under my jurisdiction and	
npleted on (mo/day/year)		TOTAL TITIS WATER WEIL WAS					
	t- 0.1					ny knowledge and belief. Kan - 27-95	
for Mail Cantagetanta 1 '	noo No						
ter Well Contractor's Lice	A	This Water We	II Hecord was c		no/day/yr)		
er Well Contractor's Lice er the business name of	1	VIPONMENTAL, I	Hecord was c	ompleted on (r by (signature)	DJohnson	for Dave Dus	