

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Riley	NW 1/4 SE 1/4 SE 1/4	2	T 10 S	R 7 (E/W)

Distance and direction from nearest town or city street address of well if located within city?

2315 Terry Way

2 WATER WELL OWNER: H. Wayne Fink	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 2315 Terry Way	Application Number:
City, State, ZIP Code : Manhattan, KS 66502	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 80 ft. ELEVATION:
--	--

Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **5.0** ft. below land surface measured on mo/day/yr **9/17/07**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **1.0** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	5 Public water supply	8 Air conditioning	11 Injection well
2 Irrigation	4 Industrial	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
		7 Domestic (lawn & garden)	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No *****; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ***** No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued * Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) Welded
2 PVC	4 ABS	7 Fiberglass	Threaded
Blank casing diameter 5 in. to 60 ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface 18 in., weight 200 lbs./ft. Wall thickness or gauge No. 265			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC		
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS
			10 Asbestos-Cement
			11 Other (Specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped		
1 Continuous slot	3 Mill slot	6 Wire wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	7 Torch cut	9 Drilled holes
			10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 80 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 30 ft. to 80 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
Grout Intervals: From 5 ft. to 30 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	10 Livestock pens			
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 <u>Watertight sewer lines</u>	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
Direction from well? West	How many feet? 50			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	22	Brown Clay			
22	51	Tan Clay			
51	82	Limestone & Shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/17/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 51.8 This Water Well Record was completed on (mo/day/yr) 9/30/07 under the business name of Blue Valley Drilling by (signature) <i>[Signature]</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.