WATE	R WELL R	ECORD	Forn	n WWC-	<b>5</b> D	ivision of W	ater Reso	ources; App. No.			
1 LOCA County:	TION OF W Ri	ATER WELL: iley	Fraction SW 1/4	SW ¼	SE ¼	Section N	lumber	Township Nur	nber S	Range Number R 7 E	
County: Riley SW ½ SW ½ SE ½ 11 T 10 S R 7 E  Distance and direction from nearest town or city street address of well if located within city?  Global Positioning System (decimal degrees, min. of 4 digits)  Latitude: N 39.18944°											
2 WATER WELL OWNER: Shop Quik Stores, LLC Elevat								n: Rim: 1057.22 TOC: 1056.84			
RR#, St. Address, Box # : PO Box 548						Datum: above mean sea level Data Collection Method: legal survey					
City, State, ZIP Code : Manhattan, KS 66502-0548 Data Collection Method: legal survey  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 25 ft.											
LOCATON MW1											
	AN "X" IN	Depth(s) Groun	ndwater End	countered 1			ft. 2	1	ft. 3	fr	
l .	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 12.32 ft. below land surface measured on mo/day/yr 6/25/08										
	N Pump test data: Well water was ft. after hours pumping gpn										
Est. Yield gpm: Well water was ft. after hours pumping gpm											
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
2 irrigation 4 industrial 7 Domestic (lawn & garden) (O)Monitoring wen											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
Sample was submitted Water Well Disinfected? Yes No X  5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
5 TYPE	OF CASING	S USED: 5	Wrought I	ron	8 Conc	rete tile	CAS	ING JOINTS: (	ilued	Clamped	
1 Ste	eel 3	RMP (SR) 6	Asbestos-(	Jement	9 Other	(specify b	elow)	,	Welde	d 3-3 v	
Plank see	OPVC4 ABS7 FiberglassThreadedXBlank casing diameter2 in. to10 ft., Dia in. to ft., Dia in. to ft.										
Cooling height helpsy land surface 0.38 ft Weight lbs /9 Wall thickness or cause No.											
Casing height below land surface 0.38 ft., Weight lbs./ft. Wall thickness or gauge No.  TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft. From ft. to ft.											
			From		ft. to		ft. Fr	om	ft. to	o ft.	
GRAVEL PACK INTERVALS:         From         9         ft. to         25         ft. From         ft. to           From         ft. to         ft. From         ft. to									o ft.		
			From		ft. to _		ft. Fr	om	. ft. to	o ft.	
6 GROU	JT MATERIA	AL: 1 Neat cen	nent 2 Ce	ment grout	3 <b>B</b> ei	ntonite (	4)Other	Concrete: 0-2	feet		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2 feet Grout Intervals From 2 ft. to 9 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:											
	tic tank	4 Lateral li						ecticide Storage		16 Other (specify below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
	from well? N			,		ny feet? ~					
FROM	TO		LOGIC LO	G	FRO		1	LITHOL	OGIC	LOG	
0		oncrete	LOGIC LO	<u> </u>	23	25	Brown	silty clay w/ lin			
3		rown silty clay, m	oist, slight	petroleum			be upp	er zone of bedro			
		lor						um odor			
8		rown silty clay, m	ioist, slight	petroleum		25	Total d	lepth			
13		lor rown silty clay, m	oist slight	petroleum			-				
13		lor, wet seam from									
18		rown silty clay, w									
	00	lor					Flushn	nount waiver fro	m BC	)W	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year)  Kansas Water Well Contractor's License No. 757  This Water Well Record was completed on (mo/day/year) 7/30/08											
Kansas Wa	ater Well Contra	ctor's License No.	757	. This W	ater Well	Record was	complete	d on (mo/day/year	r)	/30/08	
under the b	ousiness name of	f Larsen & Ass	ociates, Inc	2.	_ by (sigi	nature)	7				
INSTRUCT	TIONS: Please fi	ll in blanks or circle the	ne correct ansy	vers. Send top	three copie	s to Kansas	Department	of Health and Envir	ronmen	t, Bureau of Water,	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											