WATE	RWELLI	RECORD	Form	WWC-5	Divi	sion of Wa	iter Reso	urces; App. No.		
1 LOCA	LOCATION OF WATER WELL: unty: Riley		Fraction SW 1/4	SE ¼	ection No	ımber	Township Number T 10 S		Range Number	
County: Riley SW ½ SW ½ SE ½ 11 T 10 S R 7 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? Latitude: N39.18944 °										
3104 Anderson, Manhattan, KS Longitude: N35.16944 W 96.61542°										
2 WATER WELL OWNER: Shop Quik Stores, LLC Elevation: Rim: 1057.78 TOC: 1057.52										
RR#, St. Address, Box # : PO Box 548 Reference Po Box 548 Datum: Rim: 1057.78 TOC: 1057.52 Datum: Rim: 1057.78 Datum: R										
City S	tota 7ID Co	de : Manhat	1940 ton VC 665	02 0549						
2 LOCA	TE WELL	C 4 DEDTILOE	COMPLET	VZ-0346	22	Jala Coll	ection iv	1ethod: legal su	urvey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 23 ft. LOCATON MW3										
1						MW3				_
1	I AN "X" IN	Depth(s) Groun	dwater Enco	ountered l			ft. 2.,		ft. 3	ft.
SECT	ION BOX:	WELL'S STAT	TIC WATER	LEVEL	12.92 ft.	below la	nd surfa	ice measured on	mo/da	ft. ay/yr 6/25/08
N Pump test data: Well water was ft. after hours pumping										ng gpm
		Est. Yield	gpm:	Well water v	was	ft.	after	hours i	pumpi	ng gpm
L	/— NE —	WELL WATE	TO BE US	SED AS: 5	Public wat	er supply	8 Ai	r conditioning	11 In	iection well
1 ;	' '\ '	1 Domestic 3	Feed lot 6	Oil field w	ater sunnl	v	9 Dew	atering 1'	2 Othe	er (Specify below)
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spec									(Specify below)	
W = E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10 Monitoring well										
										Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Ste	el 3	RMP (SR) 6	A shestos-Co	ement C	Other (s	necify he	low)	1	Welde	d
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded										
2 PVC 4 ABS 7 Fiberglass Threaded X										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 8 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.26 ft., Weight lbs./ft. Wall thickness or gauge No.										
Casing height below land surface 0.26 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
ISCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)										
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 8 ft. to 23 ft. From ft. to ft.										
SCREEN-PERFORATED INTERVALS: From 8 tt. to 23 tt. From tt. to tt.										
From ft. to ft. From ft. to ft. ft. GRAVEL PACK INTERVALS: From 7 ft. to 23 ft. From ft. to ft. ft. From ft. to ft. From ft. to ft.										
GR	AVEL PAC	K INTERVALS:	From	7	ft. to	23	ft. Fr	om	. ft. to	ft.
1			From		ft. to		ft. Fr	om	ft. to	ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-2 feet										
6 GROC	JIWIAIEK	IAL: I Neat Cell		D	(5) penio	inte (Concrete: 0-2	ieei	Δ Δ
Grout Intervals From 2 ft. to 7 ft. From ft. to ft. From ft. to ft.										
		arce of possible cor								16.001 6 10
	tic tank	4 Lateral lin			Q Livestoo			ecticide Storage		16 Other (specify
	er lines	5 Cess pool		ge lagoon (1				andoned water v	vell	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction	from well?	NE		H	low many	feet? ~5	7			
FROM	TO	LITHO	LOGIC LOC	•	FROM	TO	1	PLUGGING	INTE	RVALS
0		Concrete	LOGIC LOC	,	1 KOW	10	 	110001110		
3		Brown silty clay, m	oderate plan	ticity						
		noist, no odor	oderate plas	iicity,						
8		Brown silty clay, m	oderate plan	ticity						
0		noist, no odor, soft		ticity,		 	 			
12		Brown silty clay, m		ticity						
13		noist, no odor, soft		noity,					·	
18		Brown silty clay, m		ticity						
10		moist, no odor, soft		tionly,			Flushm	ount waiver fro	m RO	W ·
		Total depth					1.431111	Tall Halfor He		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 6/23/08 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 7/30/08										
under the h	usiness name	of Larsen & Asso	ciates. Inc.		by (signatu	re)	A TO		/	
				en Candtantl			narhah	of Health and Envis	ronment	Bureau of Water
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send time to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										