1 LOCATION OF WATER WELL.	WATER WELL RECORD Form Fraction	Section Number	Township Number	Range Number
1 LOCATION OF WATER WELL: County: Riley	SW 1/2 SW 1/4 SW	1 1	T 10 S	R 7 E
	vn or city street address of well if located wit			
2711 Anderson Avenue, Manhattan, KS				
2 WATER WELL OWNER: Riley County Shop				
RR#, St. Address, Box # : 2711 A	Anderson Avenue		Board of Agriculture, Divi	sion of Water Resources
City, State, ZIP Code : Manhattan, KS 66502 Application Number:				
3 LOCATE WELL'S LOCATON WITH		30 # 515\//	ATION:	
AN "X" IN SECTION BOX:	DEPTH OF COMPLETED WELL Depth(s) Groundwater Encountered 11.5 WELL'S STATIC WATER LEVEL 19 Pump test data: Well water w Est. Yield Gpm: Well water w Bore Hole Diameter 8.625 In. to WELL WATER TO BE USED AS: 5 Put	20 #	2 #	2 Et Q
	Depth(s) Groundwater Encountered 11.5	54 the balance and an	fore manufaction molday	J
N	WELL'S STATIC WATER LEVEL	1. Delow land Su	after heasured on morday/	yr
	Pump test data: Well water w	vasFt.	after	sumpingGpm S
NWNE	Est. Yield Gpm: Well water w	vas Ft.	aner nours p	oumpingGpm [11
	- WELL WATER TO BE USED AS: 5 Pub	olic water supply	8 Air conditioning 1	1 Injection well
₩ W E	WELL WATER TO BE USED AS: 5 Put 1 Domestic 3 Feed lot 6 Oil	field water supply	9 Dewatering 1:	2 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lav	vn and garden (domestic)	10 Monitoring well	MW-4R
SW SE	Was a chemical/bacteriological sample sul			
	Submitted		er Well Disinfected? Yes	
5 TYPE OF BLANK CASING USED:		8 Concrete tile		
 	-	9 Other (specify below		
2 PVC 4 ABS	7 55	, , ,	Theo	aded X
	Ft	·		
Blank casing diameter 2	in. to 15 Dia	In. to	ft., Dia	in. toft.
Casing height above land surface	FLUSH In., weight SC	H 40 Lbs./ft.	Wall thickness or gauge No	·
TYPE OF SCREEN OR PERFORATIO			10 Asbestos-ceme	
1 Steel 3 Stainle	ess steel 5 Fiberglass	8 RMP (SR)	11 Other (specify)	
2 Brass 4 Galva	nized steel 6 Concrete tile	9 ABS	12 None used (ope 8 Saw cut	en hole)
SCREEN OR PERFORATION OPENIN				11 None (open noie)
	Mill slot 6 Wire wr Key punched 7 Torch c	• •	9 Drilled holes	
2 Louvered shutter 4		ui 30 # ==	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:				
CAND DAOK INTEDVALC	From ft. to	30 4 5	om # 1	° ·
SAND PACK INTERVALS:				
	From ft. to	O Bandanita	om ft. t	
GROUT MATERIAL: 1 Neat	cement 2 Cement grout Ft.	S Bentonite 4	t Otner	
Grout Intervals From2 .5	ft. to 11 From3 11	to 13	ft. From	ft. to . ft.
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well				
1 Septic tank	4 Lateral lines 7 Pit privy	11 Fuel st	orage 15 Oil	well/ Gas well
2 Sewer lines	5 Cess pool 8 Sewage la	igoon 12 Fertiliz	er storage 16 Oth	ner (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Contaminated Site				
Direction from well?		How many f	eet?	
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING IN	
	oncrete (3"), Reinforced			350
	Ity Clay (CL)			
30 TD En	nd of Borehole			
	DIO OFFICIOATION. This	(v) constructed (0)	atmotod c= (0) =1:	dos mu justo distina and
	R'S CERTIFICATION: This water well was			
Completed on (mo/day/yr) 08/03/10 And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 08/27/10				
Water Well Contractor's License No.				
under the business name of Associated Environmental, Inc. By (signature) Bradley J. Johnson INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bradley J. Johnson				
Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				