A LOCATION OF	14/ATES:	VI-1 1 :		ER WELL RECO	ORD For		KSA 82a-1		Niconhan	D	no Number	
1 LOCATION OF			Fraction	SW ½	C/M	Sect	ion Number 12		1		ge Number	
County: Distance and direct							12	T 10	S	R	7 E	
Distance and direc	uon nonen	earest ic		711 Anders			attan. KS					
2 WATER WELL	OWNED.	Riley										
								Board of Ag	rioudturo Divid	cion of \Ma	stor Bosouroos	
RR#, St. Address, Box # : 2711 Anderson Avenue City, State, ZIP Code : Manhattan, KS 66502								_		SION OF VV	ater Resources	
3 LOCATE WELL	COLOCAT	ON WITH	attan, KS oot	<u>.</u>				Application				
3 AN "X" IN SECT	TION BOX	:	' 4 DEPTH OF	COMPLETED	NELL	30	ft. ELE	VATION:				
			Depth(s) Ground	dwater Encoun	tered 11.5	20) fi	t. 2	ft.	3	Ft.	OFFICE
	N		WELL'S STATION								8/04/10	E
A F	- 							t. after			Gnm	ì
												USE
Est. Yield Gpm: Well water was Ft. after Hours pumping									to	Opin	<u> </u>	
Bore Hole Diameter 8.625 In. to 30 ft. and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection w 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spe										ı well	ONLY	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spe									Specify below)			
		:	2 Irrigation	4 Industria	al 7 Lav	wn and gard	en (domesti	c) 10 Monitori	ng well	M۱	N-6R	
sw	S	E	Was a chemical									
↓ x :			Submitted	bacteriologica	r sample su	Difficed to E					No X	
F 7/75 05 01 A	u Securi	LIOTO		<i>5</i>		0 0	•	ater Well Disinfed				
5 TYPE OF BLAN								CASING JO			Clamped	
			(SR)			9 Other	specify belo	^{>W)}	Welde			
2 PVC		4 ABS		7 Fibergla	SS				Threa	ded	X	
Diami, annima diama		2	:n to 18	Ft.,		lm 4	_	ft Dia		in to		
Blank casing diame	eter		ELLICH	Dia	80	۱۱۱. ۱۱	U		No	III. 10	· ¹ L.	
Casing height abov				in., weight								
TYPE OF SCREEN	OR PER					<u> </u>	PVC	10 As	bestos-cemei	nt	İ	
1 Steel		3 Stain	lless steel	5 Fibergia	SS - til-	8	ARC (SR)	11 Ut	ner (specify)			-
2 Brass SCREEN OR PER	EORATIO	4 Gaiv	anized steel	o Concrete	eule 5 Gauze	e d wranned	ABS	8 Saw cut	ne usea (ope	n noie) 11 None	(open hole)	
										II NONE	(open note)	
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 15 ft. to 30 ft. From ft. to ft.												
SCREEN-PERFOR	CATEDIN	ERVAL										
0.110.04	NA INITEDI	41.0	From	12	. to	20	IL. I	From	II. IC			ᄍ
SAND PACK INTERVALS: From 13 ft. to 30 ft. From ft. to Ft.												
From ft. to ft. From ft. to Ft.												
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other												
Grout Intervals F	From?	.5	ft to 11	Ft.	11	Ft.	13	ft From		ft to	ft	
What is the neares				1 101110				tock pens				
		-	4 Lateral lines	7	Pit nrivy			storage				
2 Sewer line			5 Cess pool		Sewage la			izer storage		er (specify		
			•		Feedyard	•		ticide storage			ated Site	
3 Watertight Direction from well		:5	6 Seepage pit	9	reedyard		How many	•	COI	itaiiiii	led Site	
		ODE	LITUO	OGIC LOG		FROM	TO		LUGGING IN	TED\/ALG		
FROM T				LOGIC LOG		FROM	10		LUGGING IN	TERVALS	•	u
0 .25 3			oncrete (3") ilty Clay (CL)									SEC
.25 3 30 T			nd of Boreho	ما								
30 1			na or boreno	16								
			· ·			ļ						
							<u> </u>					
										 		
7 CONTRACTOR	'S OB L A!		ED'S CEDTIEICAT	ION: This wet	ar well was	(x) construc	ted (2) roos	netructed or (2)	plugged upd	er my lucia	ediction and w	
7 CONTRACTOR			ANDITINAD ONE	ion: Tris wate A/40	ei well was						1	
Completed on (mo/day/yr) 08/04/10 And this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 585 This Water Well Record was completed on (mo/day/yr) 08/27/10												
1		nse No.	A = = = ! = !	585								
under the business			Associan						Bradley J.			
			13-296-5545. Send						IVIIOIRIJEH, DU			
									Macgi	Y 19	and a	
										//		