WATER WELL RECORD			Form WWC-5		Division of Wate	r Resources App. No	o.	
		, OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
Cour	ity: 🖊	iley	1/4 NE1/4 SE	1/4 NE1/4	3	T /O S	R 7 AME □W	
		Address of Well Location;		Global Positioning	System (GPS) in	formation:		
from	nearest	town or intersection: If at	Latitude:	67 80D	(in decimal degrees)			
					Global Positioning System (GPS) information: Latitude: 37.21400 (in decimal degrees) Longitude: 96.62800 (in decimal degrees) Elevation:			
Datum: MOWGS 84 NAD 83 NAD 27								
2 WATER WELL OWNER: Mr. Dale Billeman					Collection Method:			
RR#, Street Address, Box #: 3550 Evert Dr					OGPS unit (Make/Model: Carmin Etry)			
City, State, ZIP Code : Manha Haw, K5- 66503					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
2 LOCATE WELL								
	H AN "X	" IN 4 DEPTH OF	COMPLETED WEI	L170	ft.			
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr							
	Pump test data: Well water was							
EST. YIELDgpm. Well water wasft. afterhours pumpinggpr Bore Hole Diameter .5ft., andft.							pinggpm	
w L	E Bore Hole Diameter . 3							
Demostic Decodlet Doil field water comply Devystoring Dother (Specify below							9	
SW SE								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
Water well disinfected? Yes Mo								
5 TYPE OF CASING USED: Steel PVC Other HDPA								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing height ***** Tand surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.								
From ft. to ft. From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Ir				m . f	t. to ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
Direction from well								
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
0	10	CLAY						
10	20	LTMRSTONR			1 = 201	^		
20	38	SHALP IT MESON WE			7-200 2-190			
38	190	LTMESTONE SHALR			1-181	3		
	170	0111142			1 700			
				Can	torned.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This frater well was Constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No This Water Well Record was completed on (mb/day/year) 579.7201/								
under the business name of ASSACTATED DEPUTATE by (signature) by (signature)								
		ose typewriter or ball point pen to Kansas Department of Health						
Telephone	785-296	-5522. Send one copy to WAT						
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								