| | 10872 | 21-11 L RECORD | Form WWC-5 | 5 | Division of Water | r Resources App. No | 20110168 |
|--|--------------------|---|---------------------------------|--|--|-------------------------|-----------------------------|
| | | OF WATER WELL: | Fraction | | Section Number | | Range Number |
| Count | y: | Riley | 1/4 NE 1/4 SE 1/4 N | | 27 | T 10 S | $R 7 \boxtimes E \square W$ |
| | | | if unknown, distance & direc | Global Positioning System (GPS) information: | | | |
| from nearest town or intersection: If at owner's address, check here | | | | | Latitude: 39.15633 (in decimal degrees) Longitude: -96.63569 (in decimal degrees) | | |
| Approximately 3 miles southwest of Manhattan Longitude: -90.03309 (in decimal deg | | | | | | | |
| | | | | | Datum: WGS 84, NAD 83, NAD 27 | | |
| 2 WATER WELL OWNER: Wildcat Construction | | | | | Collection Method: ☐ GPS unit (Make/Model: WAAS) | | |
| RR#, Street Address, Box #: 4421 W. Harry City, State, ZIP Code : Wichita, KS 67277 | | | | | Digital Map/Photo, Topographic Map, Land Survey | | |
| City, | State, Z. | ir code ; vvicinta, | NO 01211 | | Est. Accuracy: < | 3 m, ⊠ 3-5 m, □ | 5-15 m, >15 m |
| 3 LOCATE WELL 41 | | | | | | | |
| WITH AN "X" IN SECTION BOX: Denth(s) Groundwater Encountered (1) ft. (2) ft. (3)ft. | | | | | | | |
| SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 9.50 ft. below land surface measured on mo/day/yr 07/20/11 | | | | | | | |
| Pump test data: Well water was not checked ft, after hours pumping gpm | | | | | | | |
| EST. YIELD. gpm. Well water was ft. after hours pumping gpm | | | | | | | |
| W I I I Bore Hole Diameter 12 in. to 42 ft., and in. to ft. | | | | | | | |
| WELL WATER TO BE USED AS: Public water supply Geothermal Injection well | | | | | | | |
| SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well | | | | | | | |
| Was a chemical/bacteriological sample submitted to Department? Yes No | | | | | | | |
| S If yes, mo/day/yr sample was submitted | | | | | | | |
| t Waterwell disinfected? Yes No | | | | | | | |
| 5 TYPE OF CASING USED: Steel PVC Other | | | | | | | |
| CASING IOINTS: M Glued Clamped Welded Threaded | | | | | | | |
| Casing diameter 8 in. to 20 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in., Weight 5.59 lbs./ft., Wall thickness or gauge No332 | | | | | | | |
| Casing height above land surface 12 in., Weight 5.59 lbs./ft., Wall thickness or gauge No | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify) | | | | | | | |
| Steel Stainless Steel PVC Steel Other (Specify) | | | | | | | |
| SCREEN OR DEPENDATION OPENINGS ARE | | | | | | | |
| Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., From ft. to ft. | | | | | | | |
| SCREE | Louvered N-PERF | ORATED INTERVALS: | From 20 ft. to | 4 | ft., From | ft. 1 | toft. |
| John | | | From ft. to | | ft., From | ft. | to ft. |
| | GRAVI | EL PACK INTERVALS | From ft. to ft. to ft. to | 4 | 2 ft., From | ft. | toft. |
| From ft. to tt., From tt. to tt. | | | | | | | |
| 6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From ft. to ft., From 0 ft. to 19 ft., From ft. to ft. | | | | | | | |
| What is the nearest source of possible contamination: | | | | | | | |
| | Septic tai | | nes Pit privy Liv | estock p | ens Insecticide | e storage 🛛 Oth | er (specify below) |
| Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well | | | | | | | |
| Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well Direction from well Distance from well | | | | | | | |
| | TO TO | n well LITHOLOG | | OM | | OG (cont.) or PLU | GGING INTERVALS |
| FROM 0 | 3 | Topsoil | J.C DOG TK | O 1/1 | Note: ple | ase see attache | d letter from |
| 3 | 8 | Clay, sandy | | | Richard F | larper waiving th | ne 20 ft grout |
| 8 | 12 | Sand, medium | | | requireme | ent for this proje | ct. |
| 12 | 42 | Sand & gravel, fine | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was a constructed, reconstructed, or plugged | | | | | | | |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) 07/20/11 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 07/26/11 | | | | | | | |
| Kansas Water Well Contractor's License No. This water Well Record was completed on (mo/day/year) | | | | | | | |
| under the business name of Clarke Well & Equipment, Inc. INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. | | | | | | | |
| (white, b) | lue, pink) | to Kansas Department of Heal | h and Environment, Bureau of Wa | ater, Geol | logy Section, 1000 SW. | Jackson St., Suite 420, | Topeka, Kansas 66612-1367. |
| Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html. | | | | | | | |
| KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy | | | | | | | |