WATE	R WEL	L RECORD	Form W	WC-5	D	ivision of Water	r Resources App. N	0.	
	ATION (	OF WATER WELL:	Fraction SE 1/4 SW 1/4 NI	1/4 1/2	Secti	on Number	Township No. T <b>O</b> S	Range Number R 7 XE W	
		ddress of Well Location;	f unknown, distance &	direction	Globa	al Positioning	System (GPS) in	nformation:	
from	from nearest town or intersection: If at owner's address, check here .				Latit	Latitude: 39 · 2124. (in decimal degrees)  Longitude: 912 · 63.25. (in decimal degrees)			
					Long	Longitude: 10. 0.2			
						Datum: X WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: GrandMere Vanesta Com. Assoc. RR#, Street Address, Box #: 2021 Vanesta P., Swite A					Colle	Collection Method:			
City, State, ZIP Code : 2021 Van			hesta M., swite A			GPS unit (Make/Model: GMM)NETREX)  Digital Map/Photo, Topographic Map, Land Survey			
Manuat			Hay, KS 66503			Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m			
	OCATE WELL VITH AN "X" IN 4 DEPTH OF COMPLETED WELL 100					A	•		
	I AN A	BOX: Depth(s) Groundwater Encountered (1), 25, ft. (2), ft. (3), ft.							
	SECTION BOX:  N  Depth(s) Groundwater Encountered (1) 25								
	EST. YIELD Well water was								
W	E Bore Hole Diameter								
SW	Sw. SF. Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	Was a chemical/bacteriological sample submitted to Department?   Yes No  If yes, mo/day/yr sample was submitted								
was submitted:   Water well disinfected?   Yes   No									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.									
Casing diameter									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Trough cut Drilled holes D None (open hole)									
Louvered shutter Key punched Sire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From									
GRAVEL PACK INTERVALS: From 22 ft. to (OO ft., From ft. to ft.								to ft.	
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.									
Grout Intervals: From									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage X Other (specify below)									
				☐ Fuel stora					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ Distance from well ☐								, , , , , , , , , , , , , , , , , , ,	
FROM	TO	LITHOLOG		FROM	ТО			JGGING INTERVALS	
ŏ	3	Topsoil							
0 3 22 25 28 37	22 25	clay weathered Shal	0						
25	28	Red Shale	eathered Shale						
28	37							4075-0-000-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-	
	50	Birey Shale							
50	52	Limestone	William					overese and the second	
52	100	Grey Shale	WHAT I I I I I I I I I I I I I I I I I I I						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									