182 <b>WATE</b>	10872 R WEI	35-11 LL RECORD	Form W	WC-5	D	ivision of Wate	er Resources App. N	lo	
		OF WATER WELL:	Fraction					Range Number	
Cour	nty:	Riley	1/4 SE 1/4 SW			27	T 10 S	R 7 ⊠E □W	
Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here						Latitude: 39.153469 (in decimal degrees)  Longitude: -96.640345 (in decimal degrees)			
Approximately 3 miles southwest of Manhattan.  Longitude:96.640345(in decimal degree									
						n: T WGS 8	4, <b>⋈</b> NAD 83, □	1 NAD 27	
2 WATER WELL OWNER: Wildcat Construction						Collection Method:			
RR#, Street Address, Box #: 4421 West Harry City, State, ZIP Code : Wichita, KS 67277						GPS unit (Make/Model: WAAS Digital Map/Photo, Topographic Map, Land Survey			
						ccuracy:  <	<3 m, <b>≥</b> 3-5 m, □	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 42 ft.									
SECTION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3) ft									
SECTION BOX:  Depth(s) Groundwater Encountered (1)  WELL'S STATIC WATER LEVEL 17.00 ft. (2)  ft. (3)  ft. (3)  groundwater Encountered (1)  Ft. (3)  Ft. (4)  Depth(s) Groundwater Encountered (1)  Ft. (3)  Ft. (3)  Ft. (3)  Ft. (3)  Ft. (3)  Ft. (3)  Ft. (4)  Ft. (5)  Ft. (7)  Ft. (8)  Ft. (8)  Ft. (9)  Ft. (1)  Ft. (1)  Ft. (1)  Ft. (1)  Ft. (1)  Ft. (2)  Ft. (1)  Ft. (									
Pump test data: Well water was Not checked ft, after hours pumping gpm									
-NWNE- EST. YIELD gpm. Well water was ft. after hours pumping gpm									
W   Bore Hole Diameter 12 in. to 42 ft., and in. to ft.  WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
Double Desired									
SW  SE									
Was a chemical/bacteriological sample submitted to Department?									
S If yes, mo/day/yr sample was submitted 1 mile Water well disinfected? Yes No									
water wen disinfected: 1 1es 2 100									
5 TYPE OF CASING USED: Steel PVC Other  CASING IOINTS: M Glued Clamped Welded Threaded									
CASING JOINTS: Signature Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft. Casing height above land surface 42 in., Weight 5.59 lbs./ft., Wall thickness or gauge No. 332									
Casin	g height	above land surface	2in., Weight	5.59	lbs./1	ft., Wall thicl	kness or gauge N	o332	
TYPE OF SCREEN OR PERFORATION MATERIAL:									
	Steel Brass		None used (onen h	ole)	Other (	Specify)			
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 17.50 ft. to 37.50 ft., From ft. to ft.									
JUNE	or i biti	ORNIED INTERVINES.	From1	ft. to		ft., From	1t. ft.	to ft.	
	GRAV	EL PACK INTERVALS:	From 16.50	ft. to '	42	ft., From	ft.	to ft.	
Fromft. toft., Fromft. toft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 0 ft. to 16.50 ft., From ft. to ft.									
		s: From ft. to est source of possible conta	*	0	ft. to	10.50 11.,	, FIOM	- II. to II.	
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
	Sewer li	<u> </u>	Sewage lagoon Lit Feedyard	Fuel storag Fertilizer s		=	i water well	None Known	
Direc	tion fro		ii reedyard [	Distance	_	☐ Oil well/ga ell	as well		
FROM	ТО	LITHOLOG	IC LOG	FROM	TO		OG (cont.) or PLU	JGGING INTERVALS	
0	4	Topsoil						d letter from Richard	
4	15	Sandy, clay						out requirement for	
15	42	Sand & gravel, mediu	[1]			this projec	CL.		
			181.0						
			-						
<b>—</b>									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged									
under my jurisdiction and was completed on (mo/day/year) 9/13/11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 9/22/11 under the business name of Clarke Well & Equipment, Inc. by (signature)									
		ss name of Clarke Use typewriter or ball point pe				ignature)/	cs and check the co	ect answers. Sand three conics	
(white, bl	ue, pink) t	o Kansas Department of Health	and Environment. Bureau	of Water, Geo	logy Sect	ion. 1000 SW J	ackson St., Suite 420.	Toneka, Kansas 66612-1367	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									