183									
		LL RECORD Form WWC-5				Division of Water Resources App. No.			
		N OF WATER WELL: Fraction				ion Number		Range Number	
	County: Riley 1/4 SE 1/4 SW 1/4					27	T 10 s	R 7 ⊠E □ W	
Street/Rural Address of Well Location; if unknown, distance & direction					Globa	Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here						Latitude: 39.15328 (in decimal degrees)  Longitude: -96.640351 (in decimal degrees)			
Approximately 3 miles southwest of Manhattan.  Longitude:								(in decimal degrees)	
				Elev	Longitude: (in decimal degrees)     Elevation: unknown     Datum:				
2 WATER WELL OWNER: Wildcat Construction						Datum: ☐ WGS 84, ☒ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 4421 West Harry						GPS unit (Make/Model: WAAS			
City, State, ZIP Code : Wichita, KS 67277						Digital Map/Photo, Topographic Map, Land Survey			
Est. Accuracy:									
3 LOCATE WELL									
i bet in or completely well and a second									
SECTION BOX:  Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. well's STATIC WATER LEVEL 17.50 ft. below land surface measured on mo/day/yr 9/13/11									
Pump test data: Well water was_Not checked_ft. afterhours pumpinggpm									
	Pump test data: Well water was Not Glecked it. after hours pumping gpm NWNE- EST. YIELD gpm. Well water was ft. after hours pumping gpm  W								
"	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
	Demostic Decodlet Doil field water sweets D Demostries Doil (9, 16, 1, 1, 1)								
8	SWSE Domestic Feedlot Off field water supply Dewatering Other (Specify below)								
	Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted									
Value   Water well disinfected?   Yes   No									
5 TYPE OF CASING USED: Steel PVC Other  CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter in to ft Diameter 8 in to 20 ft Diameter in to 4									
Casing diameter in. to ft., Diameter 8 in. to 20 ft., Diameter in. to ft.  Casing height above land surface 12 in., Weight 5.59 lbs./ft., Wall thickness or gauge No332									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 20 ft. to 40 ft., From ft. to ft.									
JORES	on i Liti	ORITED INTERVIED.	From	ft to		ft From		to ft	
	GRAV	EL PACK INTERVALS:	From 19	ft to	12	ft From		to ff	
	o.u.r	DE TITOIT II TERVILLO.	From	ft. to		ft. From	ft	to ft	
From ft. to ft., From ft. to ft.  6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From ft. to ft., From 0 ft. to 19 ft., From ft. to ft.									
Grout Intervals: From ft. to ft. From 0 ft to 10 ft From ft to									
What is the nearest source of possible contamination:									
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
	Sewer lin		Sewage lagoon	Fuel storag					
D:			it 🗌 Feedyard	Fertilizer s	_	Oil well/ga	is well		
	ction from		IC I OC	Distance		<del>,</del>	20 ( 1) 27	ICODIO DIMPRILLE	
FROM 0	TO 2	LITHOLOG Topsoil	IC LUG	FROM	ТО			JGGING INTERVALS	
2	11	Sandy, clay, tan		<del>                                     </del>				d letter from Richard	
11	16	Sand, fine to medium		+				out requirement for	
16	42	Sand, line to medium Sand & gravel, fine to	medium	+		this projec	J.		
10	72	Janu & graver, line to	mediuili	1		<del> </del>			
	<del> </del>			+		<del> </del>			
	<del>                                     </del>			<del>                                     </del>		<del>                                     </del>			
				+		<del> </del>			
	ļ			<del>                                     </del>		<del>                                     </del>			
				-					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water wall was Magnetizated Traces of the Traces o									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.									
under my jurisdiction and was completed on (mo/day/year) 9/13/11 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 9/22/11									
under the business name of Clarke Well & Equipment, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
(white, bl	ue, pink) (	o Kansas Department of Health	and Environment, Bureau	of Water, Geol	ogy Sect	tion, 1000 SW J:	ackson St. Suite 420.	Topeka Kansas 66612-1367	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy									