\$		R WELL RECORD Form	n WWC-5	KSA 82a-1		
1 LOCATION OF WATER WE			l l	on Number	1	Range Number
County: Riley			1/4		T 10 S	R 7 E
Distance and direction from nea	KSU Cher	nical Waste Landfill		Kimball	Avenue	
2 WATER WELL OWNER: K	(ansas State Unive	ersity				
RR#, St. Address, Box # :					Board of Agriculture, I	Division of Water Resources
City, State, ZIP Code : N	/lanhattan, KS 665	02			Application Number:	
3 LOCATE WELL'S LOCATON AN "X" IN SECTION BOX:	N WITH 4 DEPTH OF C	OMPLETED WELL	10	ft. ELE\	/ATION:	3 Ft
N	Depth(s) Ground	water Encountered 1.5		ft	. 2 ft	. 3 Ft.
A powersensensensensensensensensensensensensens	WELL'S STATIC	WATER LEVEL	ft h	elow land s	urface measured on mo/d	. 3 Ft.
	Dum	toet data: Well water v			t after hou	rs pumping Gpm
!!!!						rs pumping Gpm
W manufacture production of the control of the cont	E Poro Holo Diama	Opin. Well water w	10		ft and	in. to Ft.
SW SF -	1 Domestic	3 Feed lot 6 Oil	field water s	upply	9 Dewatering	12 Other (Specify below)
		4 Industrial 7 Law				
hospinania anno de care propieta a conserva de conserv	Was a chemical/	bacteriological sample sul	bmitted to D	epartment?	Yes No X If y	ves, mo/day/yr sample was
	Submitted			Wa	ter Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING U	JSED:	5 Wrought Iron	8 Concre	te tile	CASING JOINTS: G	lued Clamped
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other (	specify belo	w) W	/elded
2 PVC 4	ABS	7 Fiberglass			T	nreaded X
Commentered control and contro	0	Ft.,			6.6	1. 1.
Blank casing diameter	Z in. to 0.0	Dia	In. to	)	tt., Dia	in. to
Casing height above land surface		In., weight	m 40 _ T	Lbs./ft	Wall thickness or gauge	No.
TYPE OF SCREEN OR PERFO					10 Asbestos-ce	
	Stainless steel	•				ify)
2 Brass 4 SCREEN OR PERFORATION (	Galvanized steel	6 Concrete tile 5 Gauzeo		ABS	12 None used (	open hole) 11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wr			9 Drilled holes	11 None (open note)
	4 Key punched	7 Torch c	• •			
SCREEN-PERFORATED INTE	• •			ft f		ft. toft.
SCILLIA LIN ONATED INTE	From					ft. toFt.
CAND DACK INTEDVA	FIOIII	5 ft to	9.8	ff (	From	ft. toFt.
SAND PACK INTERVA	From	ft. to				ft. to Ft.
6 0001711175011				onite		
6 GROUT MATERIAL:	Neat cement 2	Cement grout Ft.	Ft.	onite	4 Other	
Grout Intervals From2	).5 ft. to 1.5	From3 <b>1.5</b>	to	5	ft. From	ft. to ft.
What is the nearest source of p						Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel	storage 15	Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage la	agoon	12 Fertil	izer storage 16	Other (specify below)
3 Watertight sewer lines	•		9 Feedyard 13 Insec		ecticide storage Contaminated Site	
Direction from well?	'. * ·	•		How many	feet?	
FROM TO COL	DE LITHOL	OGIC LOG	FROM	ТО	PLUGGIN	3 INTERVALS
0 1.5	Topsoil					
1.5 3	Clay					
3 7	Clay, grade to	Silty Clay				
7 9	Sand					
9 10	Shale					
10 TD	End of Boreho	· <b>e</b>				A-10-10-10-10-10-10-10-10-10-10-10-10-10-
		e communication and a second an				**************************************
		***************************************				
		Participant (1997)				
10. Market						
7 CONTRACTOR'S OR LAND						
Completed on (mo/day/yr)	09/2	3/14				wledge and belief. Kansas
Water Well Contractor's Licens		585				mo/day/yr) 10/10/14
under the business name of	Associat	ted Environmental	l, Inc.	{	By (signature) Bradley	/ J. Johnson
INSTRUCTIONS:. Please fil Kansas 66620-0001. Telept	Il in blanks and circle the cor	rect answers. Send three co	pies to Kansa	as Departme	nt of Health and Environmen	t, Boreau of Wate Topeka,
Nations 00020-0001. Telept	ione, 910-290-0040, 3600	OLG TO MATEL MELL OMIN	LI V aliu I Bldll	i one for you	r records.	All Johnson
					(	