


1 LOCATION OF WATER WELL: Fraction W2 Section Number 8 Township Number T 10 Range Number R 7  
 County: Riley County CS 1/4 N.E. 1/4

Distance and direction from nearest town or city street address of well if located within city? From Manhattan Go 3 miles West on 412 + 1 mile South on Pasture Road

2 WATER WELL OWNER: Mr. Robert Flocht  
 RR#, St. Address, Box #: 5524 Anderson Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Manhattan Kansas 66502 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 57' ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 23' ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 10' ft. below land surface measured on mo/day/yr  
 Pump test data: Well water was ft. after hours pumping gpm  
 Est. Yield 7 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter: 8 in. to 57' ft. and in. to ft.  
 WELL WATER TO BE USED AS:  
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected?  Yes  No

5 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS:  Gued  Clamped  
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)  Welded  Screwed  
 7 Fiberglass Threaded  
 Blank casing diameter: 5" in. to 40 ft. Dia. in. to ft. Dia. in. to ft.  
 Casing height above land surface: 2' in., weight Sub 40 lbs./ft. Wall thickness or gauge No.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot 3 Mill slot 31/100's 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 40 6 Wire wrapped 9 Drilled holes 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 40 ft. to 57 ft. From ft. to ft. From ft. to ft.  
 GRAVEL PACK INTERVALS: From 20 ft. to 57 ft. From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grout intervals: From 0 ft. to 20 ft., From Enviroplex ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination: None Close  
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)  
 13 Insecticide storage

Direction from well?			How many feet?		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	18	Brown Clay			
18	19	Rock			
19	23	Grey Shale			
23	25	Rock Water			
25	29	Brown Shale			
29	32	Rock			
32	35	Grey Shale			
35	36	Rock			
36	41	Grey Shale			
41	50	Rock			
50	51	Shale			
51	57	Rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/29/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 451 This Water Well Record was completed on (mo/day/yr) 7/26/88 under the business name of Haldeman Well Drilling by (signature) Craig Hal CNDPT

OFFICE USE ONLY  
T  
R  
EW  
SEC.