

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

105 #19

1. Location of well:		County Riley	Fraction NE 1/4 NE 1/4 NE 1/4	Section number 10	Township number T 10 S	Range number R 7 CW
2. Distance and direction from nearest town or city: .5 W CF			3. Owner of well: LITTLE KITTEN CR. INC.			
Street address of well location if in city: MANHA TAN			R.R. or street: 1919 Indiana			
			City, state, zip code: MANHA TAN, KS.			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 8 in. Completion date 5-9-78	
		<p>FUTURE house site</p> <p>Well X --- 150' --- House --- Septic</p>			7. <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
					8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
					9. Casing: Material PVC Height: 50 Above or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface 29 in. RMP <input type="checkbox"/> PVC 94 Weight 2158 lbs./ft. Dia. 5 in. to 60 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. 1274	
5. Type and color of material		From	To	10. Screen: Manufacturer's name Pumpco MFE		
TOP SOIL		0	3	Type PVC Dia. 5		
Clay Brown		3	18	Slot gauze 20 Length 20		
Chert gravel		18	20	Set between 15 ft. and 35 ft.		
Shale yellow		20	22	Gravel pack? <input checked="" type="checkbox"/> Size range of material 10-20		
Shale grey		22	25	11. Static water level: 15 ft. below land surface Date 5-9-78		
Limestone Brown		25	28	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping 15 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m.		
Shale grey green		28	38	Estimated maximum yield ____ g.p.m.		
Limestone Brown		38	40	13. Water sample submitted: ____ mo./day/yr. Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date ____		
Shale Limestone grey		40	60	14. Well head completion: CAP ____ Pitless adapter 29 Inches above grade		
				15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.		
				16. Nearest source of possible contamination: ft. 150 Direction E Type SEPTIC Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name ____ Model number ____ HP ____ Volts ____ Length of drop pipe ____ ft. capacity ____ g.p.m. Type: ____ Submersible ____ Turbine ____ Jet ____ Reciprocating ____ Centrifugal ____ Other		
				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. STRADER DRILLING CO. INC 182 Business name License No. ____ Address RT1 HOLTEN KS Signed Wade Ashburn Date 5-11-78 Authorized representative		
18. Elevation:		19. Remarks:				
Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		OWNER TO INSTAL SIAB				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5