		WATER	WELL RECORD	Form WWC-5					
LOCATION OF WA		Fraction W 1/4	NW 1 S	E 1/4 Sec	tion Number	Township Numl		Range Nu	mber / B/W
ance and direction	from nearest town of		dress of well if located	d within city?					Highw
	NER: WAMES								
WATER WELL OV	WILL IT GAD	6 3214	Rd FRE			FILM, T 4 Board of Agric	y / 7 Sultura Divisi	7150	. Becource
	ox # : 17980	Wirely.	11000			Application N		JII OI WALEI	116300166
, State, ZIP Code		1/23	60341	110					
LOCATE WELL'S L AN "X" IN SECTIO			OMPLETED WELL						
	N Del		vater Encountered 1.						
	! WE		WATER LEVEL	-					
NW	NE	_ `-	test data: Well wate					-	-
l ii			\mathcal{O} . $ ext{gpm:}$ Well wate						
w			ter /.5 in. to .						ft.
" !	X ! WE	LL WATER TO		5 Public wate		8 Air conditioning	11 Inject		
sw	SF	1 Domestic		6 Oil field wat		9 Dewatering			-
	;	2 Irrigation				10 Monitoring well			
1	l Wa	is a chemical/ba	acteriological sample s	submitted to De	-			day/yr samp	ole was sub
	s mit	ted			Wa	ter Well Disinfected		No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JOINT	S. Glued	Clampe	ed
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	v)			
(2 PVC)	4 ABS	40	7 Fiberglass						
ink casing diamete	r X in. _.	to	ft., Dia	in. to		ft., Dia	in. to)	ft.
sing height above	land surface/	'. % i	in., weight . <i>5ch.4</i> /	0	Ibs./	ft. Wall thickness or (gauge No		
PE OF SCREEN (OR PERFORATION M	ATERIAL:	•	(7 PV	6)	10 Asbest	os-cement		
1 Steel	3 Stainless ste	eel	5 Fiberglass	8 RM	P (SR)	11 Other	(specify)	<i></i>	
2 Brass	4 Galvanized	steel	6 Concrete tile	9 A B	S	12 None	ised (open h	ole)	
REEN OR PERFO	RATION OPENINGS	ARE: 20	FOO S 5 Gauze 6 Wire	ed wrapped		8 Saw cut	11	None (oper	n hole)
1 Continuous sl	ot 🕻 Mill sl	lot)	\mathcal{F}^{UC} 6 Wire	wrapped		9 Drilled holes			
2 Louvered shu	tter 4 Key p	unahad	7 Torch	cut		10 Other (specify) .			
REEN-PERFORAT	TED INTERVALS:	From	2.0 , tolcii	4.6	ft., Fro	m	ft. to		
		From	ft. to		ft., Froi	m	, ft. to		
GRAVEL PA	ACK INTERVALS:	From	2. 0 ft. to	40	ft., Froi	m	ft. to		
		From	ft. to		ft., Fro	m	ft. to		ft
GROUT MATERIA	L: 1 Neat cem	ent 2	2 Cement grout	3 Bento	nite 2 4	Other			
rout Intervals: Fro	om <i>[]</i> ft.	to 20	ft., From	ft.	to	ft., From	ft.	. to	
hat is the nearest s	source of possible con	tamination:	1000 Colose		10 Lives	tock pens	14 Aband	oned water	well
1 Septic tank	nat is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other	(specify bel	low)
3 Watertight se	wer lines 6 Seepage	pit	9 Feedyard		13 Insec	ticide storage			
rection from well?	, ,	•	-		How ma	ny feet?			
ROM TO	l	LITHOLOGIC L	.OG	FROM	то	PLUC	GING INTER	RVALS	
0 15	SANDY B	rown C	LAY						
15 22	Midium S	and	(NATIL)						
22 40	Course S.	ond (
		-							
			AND A SECOND STATE OF THE						
					 				
	1								
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION	ON: This water well w	as (1) constru	cted) (2) reco	onstructed, or (3) plug	ged under m	y jurisdictio	on and wa
mpleted on (mo/da	y/year) *.	41./	۲. ۶		and this reco	rd is true to the best	of my knowled	and bei	lief. Kansa
		,	This Water W				/ > . /	7.	 /-
der the business n	ame of HALDC	man WE	4 Drilling	•	by (signa	ture)	raff/	- Cu	WPF
INSTRUCTIONS: Use	typewriter or ball point pen.	PLEASE PRESS FI	RMLY and PRINT clearly Ple 1-0001. Telephone: 913-296-5	ease fill in blanks,	underline or circle	the correct answers. Send	top three copies	s to Kansas De	PF epartment