		R WELL RECORD	Form WWC-5	KSA 82a				
LOCATION OF WATER WEL		6.41		tion Number	Township N	<i>a</i> 1	Range	ا ( <i>سر</i> ۲
County: RILLY	3 W 1/4		1/4	11	T	(´s)	R   8	₽/W
Distance and direction from nea	arest town or city street a	address of well if locat	ed within city?	From ,	Man hp Fin	60	2 Milis	Easi
WATER WELL OWNER:	City OF Mi	n ho Tar						
RR#, St. Address, Box # :	City Builda		_		Board of A	Agriculture,	Division of Wa	ter Resources
City, State, ZIP Code :	Manhatter, M	3 66502			Application			
LOCATE WELL'S LOCATION AN "X" IN SECTION BOX:	N WITH 4 DEPTH OF C	OMPLETED WELL dwater Encountered	28,7	ft. ELEVA	TION:			
		WATER LEVEL	, , , ,					
	Pum	p_test data: Well wa	ter was	ft. a	fter	. hours pu	ımping	gpm
NW   NE	Est. Yield . 2.0	💯 gpm: Well wa	ter was	ft. a	fter	. hours pu	ımping	gpm
i IX i	Bore Hole Diam	eter <i>l.2</i> in. to	. <del>2</del> 8		and	in	. to	
* w   -   -   -   -   -	WELL WATER	TO BE USED AS:	5 Public water	er supply	8 Air conditioning	11	Injection well	
-	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		Other (Specify	
2M  3E	2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring wel	وحرب ا	COUTTER	اب
	Was a chemical	bacteriological sample						
\$	mitted			Wa	ter Well Disinfecte	ed? Yes	No.	
TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concr	ete tile	CASING JO	INTS: Glue	d Clan	nped
1 Steel 3	RMP (SR)	6 Asbestos-Cement	9 Other	(specify below	w)	Weld	led	<i></i>
2 PVC 4 .	ABS	7 Fiberglass				Thre	aded	
Blank casing diameter	√in. to 2.5	ft., Dia	in. to		ft., Dia		in. to	ft.
Casing height above land surfa	ıce	.in., weight .S.C.S.	40	lbs./	ft. Wall thickness	or gauge N	lo	
TYPE OF SCREEN OR PERFO	DRATION MATERIAL:		PV		10 Ast	estos-ceme	ent	
1 Steel 3	Stainless steel	5 Fiberglass	8 AN	IP (SR)	11 Oth	ner (specify)		
2 Brass 4	Galvanized steel	6 Concrete tile	9 AB	S	12 No	ne used (or	en hole)	
SCREEN OR PERFORATION	OPENINGS ARE:	0 \$ 5 Gau	zed wrapped		8 Saw cut		11 None (op	en hole)
1 Continuous slot	(3 Mill slot)	1000 6 Wire	wrapped		9 Drilled holes			
2 Louvered shutter	4 Key punched	7 Toro	ch cut		10 Other (specify	y) <i>.</i>		
SCREEN-PERFORATED INTE	RVALS: From		2.8	ft., Fro	m	ft. 1	to <i>.</i>	
	From	ft. to .		ft., Fro	m	ft. 1	to	
GRAVEL PACK INTE	RVALS: From	.20 ft. to	28	ft Fro	m	ft. 1	to	
	From	ft. to		ft., Fro		ft.		ft.
GROUT MATERIAL:	1 Neat cement	2 Cement grout	8 Bento	onite 4	Other			. ,
Grout Intervals: From	0ft. to 20.			to	ft., From	. <b>.</b>	ft. to	
What is the nearest source of				10 Lives	tock pens	14 A	bandoned wat	er well
1 Septic tank	4 Lateral lines	7 Pit privy		11 Fuel	storage	15 C	oil well/Gas we	all .
2 Sewer lines	5 Cess pool	' '			Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines	· ·	9 Feedvard	•		ticide storage			
Direction from well?		- · · · · · · · · · · · · · · · · · · ·		How ma	_			
FROM TO	LITHOLOGIC	LOG	FROM	то		LUGGING I	NTERVALS	
0 1 70	Soil							
1 10 5	dy Chay							
10 15 Fin	u Sand							
15 30 MI	dian Carl							
70   2   100	A · · · · · · · · · · · · · · · · · · ·							· · · · · ·
				1				
				† †				
				<u> </u>				
				† †				
				†				
				<del> </del>				
			<del>-   </del>	<b> </b>				
				<b>↓</b>				
T				1				
7 CONTRACTOR'S OR LAND	DOWNER'S CERTIFICAT							
completed on (mo/day/year)					ord is true to the be	est of my kr	owledge and	pelief. Kansas
Water Well Contractor's Licens		This Water				14/	1.8.1	6
under the business name of	HALdimon	WIN VO	they	by (signa	iture)	ng //	/ CW	D/PI
INSTRUCTIONS: Lies typewriter or	ball point pen. PLEASE PRESS	FIRMLY and PRINT clearly. I					copies to Kansas	Department