LOCATION OF WA County: POTTAW			1		1 -		
JUDINE FALSE ALLA			₩ ¼ Secti	on Numbe		_	Range Number
		treet address of well if located		1-1	T /C	) S	R & DW
	S DRIVE, MAI		within City:				
WATER WELL OF	AND VALLE AS DAR	THE THE ACTURE FRANCE	MANIAAS	IT - 1	El		
WATER WELL O	WHERE FANSAS DEPT	OF HEALTH & ENVI	14101421	y/ ~/:			N. dada
		LD, BUILDING 740				•	ivision of Water Resources
City, State, ZIP Code		s. 66620-000				tion Number:	
AN "X" IN SECTION	DEPTH DN BOX: Depth(s)	OF COMPLETED WELL Groundwater Encountered 1	11	. ft. ELEV ft.	ATION:	ft. 3.	
		TATIC WATER LEVEL					Ţ
×ι	1 1 1	Pump test data: Well water					
NW	Est. Yield	gpm: Well water					
		Diameter 844 in. to					
w i t			Public water		8 Air condition		njection well
1	1 Dor		Oil field water			-	Other (Specify below)
sw	SE 2 Irrig				_		
1 !		mical/bacteriological sample su					
<u> </u>	s mitted	p.o ou	J04 to 20p		ater Well Disinfe		No Solving out
TYPE OF BLANK	<del></del>	5 Wrought iron	8 Concret			•	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement					ed
2PVC	4 ABS	7 Fiberglass	,				ded
		5.2ft., Dia					
		in., weight					
	OR PERFORATION MATERIA	<u>-</u>	<b>P</b> vc			Asbestos-ceme	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP				
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS			None used (ope	{
	PRATION OPENINGS ARE:	5 Gauzed			8 Saw cut	one used (ope	11 None (open hole)
1 Continuous sl	_	6 Wire w			9 Drilled hole	e.	11 None (open noie)
2 Louvered shu	-		• •				
CREEN-PERFORAT	, ,	1. 2	5 7	4 Er	٠.	• •	
ONLEN- LIN ONA					JIII		'
		ft to				# to	
GRAVEL PA	From	62 ft. to	49			ft. to	
GRAVEL PA	ACK INTERVALS: From		49	ft., Fro ft., Fro	om		ft.
	ACK INTERVALS: From From	ft. to		ft., Fro ft., Fro ft., Fro	om	ft. to	ft.
GROUT MATERIA	ACK INTERVALS: From From L: 1 Neat cement	ft. to	Bentoni	ft., Fro ft., Fro ft., Fro ite 4	om	ft. to	ft.
GROUT MATERIA	ACK INTERVALS: From From L: 1 Neat cement omft. to	ft. to  2 Cement grout  2 ft., From	Bentoni	ft., Fro ft., Fro ft., Fro ite 4	om	ft. to	ft. 
GROUT MATERIA rout Intervals: Fro that is the nearest s	ACK INTERVALS: From From L: 1 Neat cement om ft. to ource of possible contamination	ft. to  2 Cement grout  2 ft., From on:	Bentoni	ft., Fro ft., Fro ft., Fro ite 4 	omomomomomomotherotherotheromft., From stock pens	ft. to	ft.  ft. toft. andoned water well
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank	ACK INTERVALS: From From  L: 1 Neat cement om ft. to ource of possible contaminati 4 Lateral lines	ft. to  2 Cement grout  1 ft., From  7 Pit privy	Bentoni ft. to	ft., Fronts, Front	om	ft. to	ft
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool	ft. to  2 Cement grout  2ft., From on:  7 Pit privy 8 Sewage lagoo	Bentoni ft. to	ft., From the first from the fi	om	ft. to	ft
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev	ACK INTERVALS: From From  L: 1 Neat cement om ft. to ource of possible contaminati 4 Lateral lines	ft. to  2 Cement grout  1 ft., From  7 Pit privy	Bentoni ft. to	ft., Fronts, F	om	ft. to	ft.  ft. toft. andoned water well
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well?	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft. to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2ft., From on:  7 Pit privy 8 Sewage lagoo	Bentoni ft. to	ft., Fronts, F	om	ft. to	ft
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	10 Live 11 Feeti 13 Insee How ma	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight severection from well?	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well?	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft. toft. andoned water well well/Gas well her (specify below)
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irection from well? FROM TO	ACK INTERVALS: From From  L: 1 Neat cement omft. to ource of possible contaminati 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	ft. to  2 Cement grout  2 ft., From	Bentoni ft. to	ft., Fro ft., Fro ft., Fro te 4 0	om	ft. to	ft.  ft. to
GROUT MATERIA rout Intervals: Fro /hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev irrection from well? FROM TO	ACK INTERVALS: From. From L: 1 Neat cement om	ft. to  2 Cement grout  2ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard  OGIC LOG	Bentonift. to	tt., Fronts, F	om	14 Ab 15 Oil Dry C	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS: From. From  L: 1 Neat cement Om	ft. to  2 Cement grout  2 ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard  OGIC LOG  CAM  ICATION: This water well was	Bentoni  ft. to	tt., From tt., F	om	PLUGGING IN	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS: From. From  L: 1 Neat cement Om	ft. to  2 Cement grout  2 ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard  OGIC LOG  CAM  ICATION: This water well was	Bentoni  ft. to	tt., From tt., F	om	PLUGGING IN	ft.  ft. to
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? FROM TO 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10	ACK INTERVALS: From.  From  L: 1 Neat cement of the tool ource of possible contaminating a Lateral lines of Seepage pit of Seepage pit of Seepage pit on the seepage pit of	ft. to  2 Cement grout  2 ft., From	Bentoni  ft. to	tt., From tt., F	om	PLUGGING IN	ft. to